Safety Data Sheet according to Regulation (EC) No. 1907/2006



Revision Date: 05.08.2022 Version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

TK.060408.00000 Catalog No.

Product Name Hydrogen Peroxide %35 (Perhydrol)

Cas no 7722-84-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial uses. Scientific research and development. Use as laboratory reagent.

1.2.2. Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

TEKKİM KİMYA SAN. TİC. LTD. ŞTİ. Name

ORGANIZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA Street

0224 243 21 71 Telephone

E-mail erhan@tekkim.com.tr

Erhan DİLER Company Representative

1.4 Emergency Telephone Number +90 506 990 36 86

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Acute toxicity, Category 4, Oral Skin irritation, Category 2 Serious eve damage, Category 1

Specific Target Organ Toxicity - Single exposure, Category 3, Respiratory system

Long (chronic) aquatic hazard, Category 3

For the full text of the H and EUH statements in this section, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms





Signal word (SEA)

DANGER

Hazard Statements (SEA)

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eve damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (SEA)







Tekkim is accredited to SO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 05.08.2022 Version 2



Prevention

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYE CONTACT: Rinse cautiously with water for a few minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice / contact your doctor.

SECTION 3: Composition/information on ingredients

Classification according to Regulation (EC) No. 1272/2008 (CLP)

3.1 Maddeler

231-765-0 EC No 34.0147 g/mol Molar mass Cas No 7722-84-1

Concentration (>= 35 % - < 40 %)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information In case of accident or unwellness, seek medical advice immediately

(show directions for use or safety data sheet if possible).

Remove casualty to fresh air and keep warm and at rest.. Following inhalation Following skin contact Wash with plenty of water. Take off contaminated clothing.

Following eye contact In case of contact with eyes, rinse immediately with plenty of water and

consult an ophthalmologist.

Please give up to two glasses of water. Get immediate medical attention. Following ingestion

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures appropriate to the environment.

Unsuitable extinguishing media

There is no restriction for this item.

5.2 Special hazards arising from the substance or mixture

It has a fire-enhancing feature due to oxygen. It is not flammable.

5.3 Advice for firefighters

Special protective equipment for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. Keep a safe distance to cut off contact with skin and wear suitable protective clothing.

5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.


SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert..







Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)





6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area.

6.4 Reference to other sections

Disposal: see section 13.

6.5 Additional information

Clear spills immediately.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Observe label precautions.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Protect from light. Metal packaging should not be used. Store away from flammable materials. Use valve cap and valve to ensure gas output and balance pressure.

7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Hydrogen peroxide (7722-84-1)

TR MAK Acceptable 1 mbp

maximum 1.4 mg / m3

concentration (MAK)Hydrogen peroxide

8.2 Exposure controls

Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.

Personal protection equipment

Eye/face protection

Safety glasses

Hand protection





Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 05.08.2022 Version 2



Hand protection

Full contact

Glove material: natural latex Glove thickness :0,60 mm Break through time: >480minute

Splash contact:

Glove material: Nitrile rubber Glove thickness: 0,11 mm Break through time: >60minute

The protective gloves to be used must comply with the specifications of directive 89/686/EEC and the related standart

EN374

Other skin protection

Protective chlothing.

Respiratory protection

Required when dusts are generated Recommented filter type: NO filter

SECTION 9: Physical and chemical Properties

9.1 Information on basic physical and chemical properties

Physical state Colour Colorless Odour Characteristic Odour threshold No information. pH value

Melting point/freezing point

Freezing point

Initial boiling point and boiling range

Flash point Evaporation rate Flammability (solid, gas)

Upper/lower flammability or explosive limits Upper/lower flammability or explosive limits

Vapour pressure Vapour density Density

Relative density Water solubility (g/l)

Fat solubility (g/l)

Partition coefficient: n-octanol/water

Auto-ignition temperature Decomposition temperature Liquid

2,0 - 4,0 20 °C

-24 °C

No information.

110 °C

Not applicable. No information. No information. No information. No information. 20 hPa 20 °C No information. 1,13 g/cm3 20 °C No information.

Soluble.

No information. No information. No information. > 100 °C

Viscosity

Kinematic viscosity No information. Dynamic viscosity No information.

Explosive properties Not classified as explosive. Oxidising properties It has an oxidizing feature.

SECTION 10: Stability and Reactivity

10.1 Reactivity

Section 10.3 to see.

10.2 Chemical stability

Sensitive to light.







Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006



Revision Date: 05.08.2022 Version 2

10.3 Possibility of hazardous reactions

Acetaldehyde, acetone, activated charcoal, alcohols, formic acid, ammonia, flammable substances, vinyl acetate, organic substances, powdered metals, powder, hydrazine and derivatives, hydrides, ether, potassium, anilines, metallic salts, acetic acid, acetic anhydride, formaldehyde, furfuryl alcohol, fats, sodium, lithium, lithium aluminum hydride, organic solvents, magnesium, metallic oxides, methanol, reducing compounds are phosphorus oxides risk of explosion.

Alkali hydroxides, antimony sulfide, tin (II) chloride, sulfides, nitric acid (conc.), Ethanol, glycerol, potassium hydroxide, phosphorus, metallic oxides, sodium hydroxide, aldehydes, nonmetals, nonmetal oxides, strong alkalis, amines, acids oxidizing agents, alkali salts, alkali metals, alkaline earth metals, iodides, peroxy compounds, brass could exothermic reaction of the organic nitro compounds.

10.4 Conditions to avoid

In case of warming.

10.5 Incompatible materials

Lead, bronze, iron, copper, brass, silver, metals, metal alloys

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

Symptoms: Irritation of mucous membranes in mouth, throat, esophagus and gastrointestinal tract.

Absorbation

LD50 Rat: 1.193 - 1.270 mg / kg

(IUCLID)

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory system Acute toxicity estimate:> 20 mg / I; 4 hrs; steam

Acute dermal toxicity LD50 Rabbit:> 2,000 mg / kg **US-EPA**

Skin irritation

After long-term exposure to the chemical: Causes skin burns.

The mixture causes skin irritation.

Eye irritation conjunctivitis

The mixture causes serious eye damage.

Specific Target Organ Toxicity - Single exposure The mixture may cause respiratory irritation.

Target Organs: Respiratory system

11.2 Additional information





Tekkim Kimya Sanayi ve Ticaret Limited Sirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66 Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 05.08.2022

Version 2

Systemic effects:

Headache, dizziness, nausea, vomiting, diarrhea, insomnia, muscle twitching, convulsions, loss of consciousness, shock.

Handle in accordance with good industrial hygiene and safety practice.

Components

Hydrogen peroxide

Acute oral toxicity

Acute toxicity estimate: 500.1 mg / kg

Expert decision

Acute dermal toxicity

LD50 Rabbit:> 2,000 mg / kg

US-EPA

Repeated dose toxicity Subchronic toxicity

Mouse Rat

male male and female

Oral breathing (dust / fog / smoke)

90 g 28 g Diary Diary

NOAEL: 26 mg/kg
LOAEL: 76 mg/kg
OECD Yönergesi 408

NOAEL: 0,0029 mg/l
LOAEL: 0,0146 mg/l
OECD Test Talimatı 412

SECTION 12: Ecological information

12.1 Toxicity





Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 05.08.2022 Version 2



Mixture

Toxicity to algae (algae) IC50 Chlorella vulgaris (freshwater algae): 2.5 mg / I; 72 hrs **OECD Test Guideline 201**

Hydrogen peroxide

Toxicity to fish semi-static test LC50 Pimephales promelas (Carp cub): 16.4 mg / I; 96 h Analytical monitoring: yes **US-EPA**

semi-static test NOEC Pimephales promelas (Carp cub): 5 mg / l; 96 h Analytical monitoring: yes **US-EPA**

Toxicity to daphnia and other aquatic invertebrates semi-static test LC50 Daphnia pulex (Laurel pulex): 2,4 mg / l; 48 hrs Analytical monitoring: yes **US-EPA**

semi-static test NOEC Daphnia pulex (Laurel pulex): 1 mg / l; 48 hrs Analytical monitoring: yes **US-EPA**

Toxicity to algae (algae) IC50 Pseudokirchneriella subcapitata (green algae): 5.7 mg / l; 72 hrs (ECOTOX Database)

Growth rate NOEC Skeletonema costatum: 0.63 mg / I; 72 hrs (External product safety sheet)

Toxicity to bacteria static test EC50 active waste: 466 mg / I; 30 minutes Analytical monitoring: yes OECD Test Guideline OECD 209

12.2 Persistence and degradability

Biodegradation > 99%; 0.5 hrs; oxygenated (aerobic) (ECHA) It can easily dissolve in nature.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB.

12.6 Other adverse effects

Discharge into environment must be avoided.

SECTION 13: Disposal considerations

Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.

www.tekkim.com.tr | tekkim@tekkim.com.tr







Tekkim Kimya Sanayi ve Ticaret Limited Sirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66 Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 05.08.2022 Version 2

SECTION 14:	Transport	information
--------------------	------------------	-------------

ADR	IMDG	IATA	ADN	RID	
14.1 UN number					
UN 2014	UN 2014	UN 2014	UN 2014	UN 2014	
14.2 UN proper shipping name					
HYDROGEN PEROXIDE,AQUEOUS solution with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary)	HYDROGEN PEROXIDE,AQUEOUS solution with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary)	HYDROGEN PEROXIDE,AQUEOUS solution with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary)	HYDROGEN PEROXIDE,AQUEOUS solution with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary)	HYDROGEN PEROXIDE,AQUEOUS solution with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary)	
14.3 Transport hazard class(es)					
5.1(8)	5.1(8)	5.1(8)	5.1(8)	5.1(8)	





14.4 Packing group

H H H H

14.5 Environmental hazards

YES YES YES YES YES YES

No information available. No information available. No information available. No information available. No information available.

14.6 Special Precautions for User:

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been conducted for this substance.

SECTION 16: Other informations

Full text of H statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Person Who Prepared the Safety Data Sheet:

Name:

Certificate Number and Date: Erhan DİLER

Communication information: 11.29.03 & 11 Şubat 2020

05069903686







Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53