Safety Data Sheet according to Regulation (EC) No. 1907/2006 (RFACH)



Revision Date: 05.08.2022 Version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalog No. TK.080231.00000
Product Name Hydrochloric Acid %37,0

Cas no 7647-01-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial uses. Scientific research and development. Use as laboratory reagent.

1.2.2. Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Name TEKKİM KİMYA SAN. TİC. LTD. STİ.

Street ORGANİZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA

Telephone 0224 243 21 71

E-mail erhan@tekkim.com.tr

Company Representative Erhan DİLER

1.4 Emergency Telephone Number +90 506 990 36 86

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Corrosive to metals, Category 1 Skin corrosion, Subcategory 1B Serious eye damage, Category 1

Specific Target Organ Toxicity - Single exposure, Category 3, Respiratory system

For the full text of the H and EUH statements in this section, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms





Signal word (SEA)

DANGER

Hazard Statements (SEA)

H290 May corrode metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary Statements (SEA)







www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 05.08.2022 Version 2



TEK(IM



P234 Store only in original container.

P261 Avoid breathing dust / mist / gas / mist / vapor / spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Intervention

P303+P361+P353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse your skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 3: Composition/information on ingredients

Classification according to Regulation (EC) No. 1272/2008 (CLP)

3.1 Maddeler

 EC No
 231-595-7

 Molar mass
 34.46 g/mol

 Cas No
 7647-01-0

Concentration (>= 25 % - < 50 %)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information In case of accident or unwellness, seek medical advice immediately

(show directions for use or safety data sheet if possible).

Following inhalation Remove casualty to fresh air and keep warm and at rest..

Following skin contact Wash with plenty of water. Take off contaminated clothing.

Following eye contact In case of contact with eyes, rinse immediately with plenty of water and

consult an ophthalmologist.

Following ingestion Please give up to two glassesof water. Get immediate medical attention...

Do not induce vomiting..

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures appropriate to the environment.

Unsuitable extinguishing media

There is no restriction for this item.

5.2 Special hazards arising from the substance or mixture

In case of fire it can be formed freely: Hydrogen chloride gas. It is not flammable. All-round fire can release dangerous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. Keep a safe distance to cut off contact with skin and wear suitable protective clothing.

5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures







www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+00 224 242 21 71 (-b-) | F--- +00 224 242 07 66

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 05.08.2022

Version 2



Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert..

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area.

6.4 Reference to other sections

Disposal: see section 13.

6.5 Additional information

Clear spills immediately.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Observe label precautions. Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in dry and well-ventilated places. Metal packaging should not be used.

7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Contains no subtances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.

Personal protection equipment

Eye/face protection

Fully fitting safety glasses

Hand protection

Hand protection

Full contact

Glove material : Nitrile rubber Glove thickness:0,11 mm Break through time: >480minute

Splash contact:


Glove material: natural latex Glove thickness :0,60 mm Break through time: >120minute

The protective gloves to be used must comply with the specifications of directive 89/686/EEC and the related standart EN374

Other skin protection







Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

TEKKIM

Acid-resistant protective clothing

Respiratory protection

Required when vapors / aerosols are generated.

Recommended Filter type: filter E- (P2)

SECTION 9: Physical and chemical Properties

9.1 Information on basic physical and chemical properties

Physical state Liquid
Colour Colorless
Odour Angle

Odour threshold 0,8 - 5 mpb (Hydrogen chloride gas)

Revision Date: 05.08.2022

No information.

It doesn't shine.

No information.

No information.

Version 2

pH value < 1 20 °C
Melting point/freezing point No information.
Freezing point -30 °C

Initial boiling point and boiling range

Flash point
Evaporation rate
Flammability (solid, gas)

Upper/lower flammability or explosive limits
Upper/lower flammability or explosive limits
Upper/lower flammability or explosive limits
Vapour pressure

Vapour density

Not applicable.
Not applicable.
Not applicable.
Not applicable.
Not applicable.
Not applicable.

Vapour pressure190 hPa20 °CVapour densityNo information.Density1.19 g/cm320 °CRelative densityNo information.

Water solubility (g/l)

Fat solubility (g/l)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Soluble.

No information.

No information.

No information.

Auto-ignition temperature No information. Decomposition temperature No information.

Viscosity

Kinematic viscosity

No information.

2,3 mPa.s 20 °C

Explosive properties Not classified as explosive.

Oxidising properties No information.

SECTION 10: Stability and Reactivity

10.1 Reactivity

It is corrosive in contact with metals.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

Exothermic reaction with amines, potassium permanganate, salts of oxyhalogenic acids, semimetallic oxides, semi-metallic hydrogen compounds, aldehydes, vinylmethyl ether.

Risk of explosion or flammable gas formation with carbides, lithium silicide, Fluorine!

In contact with aluminum, hydrides, formaldehyde, metals, strong alkalis, sulphides, it creates dangerous gases or vapors.

Alkali metals, conc. There is a risk of explosion with sulfuric acid.

10.4 Conditions to avoid

In case of warming.

10.5 Incompatible materials

As a result of the reaction of metals with metal alloys, hydrogen is released.







Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66 Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 05.08.2022 Version 2

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Symptoms: Risk of perforation of the esophagus and stomach with severe burning of the mouth and throat if swallowed.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage to respiratory system

Skin irritation

Its mixture causes burns.

Eye irritation

The mixture causes serious eye damage. Blindness risk!

Specific Target Organ Toxicity - Single exposure The mixture may cause respiratory irritation.

Target Organs: Respiratory system

11.2 Additional information

After receiving:

After the secrecy period: cardiovascular conditions

Handle in accordance with good industrial hygiene and safety practice.

Components

Hydrochloric acid

Skin irritation Rabbit

Result: Abrasive

OECD Test Guideline 404

Eye irritation

Rabbit

Result: Irreversible effects on the eyes

OECD Test Guideline 405

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

Lepomis macrochirus (Bluegill sunfish): 20.5 mg / I; 96 hrs

OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

EC50: 1.3 mg / I; 48 hrs OECD Test Guideline 202

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment







Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY +90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

+90 224 243 21 /1 (pbx) | 1dx. +90 224 242 97

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 05.08.2022 Version 2



Substance does not meet the criteria for PBT or vPvB.

12.6 Other adverse effects

It forms corrosive mixtures even if diluted. Harmful effect due to pH change.

Discharge into environment must be avoided

SECTION 13: Disposal considerations

Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.

SECTION 14:	ransport in	formation
-------------	-------------	-----------

o-onon in manaparamamana					
ADR	IMDG	IATA	ADN	RID	
14.1 UN number					
UN 1789	UN 1789	UN 1789	UN 1789	UN 1789	
14.2 UN proper shipping name					
HYDROCHLORIC ACID 8, II,	HYDROCHLORIC ACID 8, II,	HYDROCHLORIC ACID 8, II,	HYDROCHLORIC ACID 8, II,	HYDROCHLORIC ACID 8, II,	
Segregation Group: 1 (Acids)	Segregation Group: 1 (Acids)	Segregation Group: 1 (Acids)	Segregation Group: 1 (Acids)	Segregation Group: 1 (Acids)	

14.3 Transport hazard class(es)

8 8 8 8 8





14.4 Packing group

14.5 Environmental hazards

YES YES YES YES YES

No information available. No information available. No information available. No information available. No information available.

14.6 Special Precautions for User:

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been conducted for this substance.

SECTION 16: Other informations

Full text of H statements

H290 May corrode metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.







Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

+90 224 243 21 /1 (pbx) | 1 dx. +90 224 242 9/

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 05.08.2022 Version 2



Person Who Prepared the Safety Data Sheet:

Name:
Certificate Number and Date:

Erhan DİLER

Communication information: 11.29.03 & 11 Şubat 2020

05069903686



