

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 05.08.2022 Version 2

TEKKİM

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalog No. TK.090110.00000
Product Name Sodium metasilicate pentahydrate
Cas no 10213-79-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial use. Use as a laboratory reagent.

1.2.2. Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Name TEKKİM KİMYA SAN. TİC. LTD. ŞTİ.
Street ORGANİZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA
Telephone 0224 243 21 71
E-mail erhan@tekkim.com.tr
Company Representative Erhan DİLER

1.4 Emergency Telephone Number +90 506 990 36 86

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Corrosive to metals, Category 1
Skin corrosion/irritation, Category 1B
Serious eye damage, Category 1
Specific Target Organ Toxicity – Single exposure, Category 3

For the full text of the H and EUH statements in this section, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms



Signal word (SEA)

DANGER

Hazard Statements (SEA)

H290 May corrode metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary Statements (SEA)



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 05.08.2022 Version 2

TEKKİM

Prevention

- P234 Store only in original container.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P310 Immediately call a NATIONAL POISON CENTER or doctor/physician.
P405 Store locked up.

Intervention

- P303+P361+P353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse your skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if fitted and easy to do. Continue rinsing.
P301+P330+P331 IF SWALLOWED: Rinse mouth. DO NOT try to vomit.

SECTION 3: Composition/information on ingredients

Classification according to Regulation (EC) No. 1272/2008 (CLP)

3.1 Maddeler

EC No	229-912-9
Molar mass	212.14 g/mol
Cas No	10213-79-3
Concentration	(<= 100 %)

SECTION 4: First aid measures

4.1 Description of first aid measures

<i>General information</i>	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
<i>Following inhalation</i>	Remove casualty to fresh air and keep warm and at rest..
<i>Following skin contact</i>	Wash with plenty of water. Take off contaminated clothing.
<i>Following eye contact</i>	In case of contact with eyes, rinse eyelids with water for 10-15 minutes. See a doctor immediately.
<i>Following ingestion</i>	Do not vomit. If accidentally swallowed, rinse mouth with plenty of water and seek medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam. Dry extinguishing powder. Carbon dioxide (CO₂). Water spray.

Unsuitable extinguishing media

There is no restriction for this item.

5.2 Special hazards arising from the substance or mixture

It is not flammable.

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus..

5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

SECTION 6: Accidental release measures



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY
☎ +90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66
Factory: istoc 33.ada No: 47-49-51-53
☎ +90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 05.08.2022 Version 2

TEKKİM

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert..

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area. Avoid generation of dust..

6.4 Reference to other sections

Disposal: see section 13.

6.5 Additional information

Clear spills immediately.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Observe label precautions.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in dry and well-ventilated places.

7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.

Personal protection equipment

Eye/face protection

Safety glasses

Hand protection

Hand protection

Full contact

Glove material : Nitrile rubber

Glove thickness : 0,11 mm

Break through time : >480 minute

Splash contact

Glove material : Nitrile rubber

Glove thickness : 0,11 mm

Break through time : >480 minute

The protective gloves to be used must comply with the specifications of directive 89/686/EEC and the related standart EN374.

Other skin protection



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 05.08.2022 Version 2

TEKKİM

Protective clothing.

Respiratory protection

Required when dusts occur.

Recommended filter type : Filter P 1 for solid particles of inert substances (according to DIN 3181).

SECTION 9: Physical and chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Colour	White
Odour	Odorless
Odour threshold	No information.
pH value	No information.
Melting point/freezing point	No information.
Freezing point	No information.
Initial boiling point and boiling range	No information.
Flash point	No information.
Evaporation rate	No information.
Flammability (solid, gas)	No information.
Upper/lower flammability or explosive limits	No information.
Upper/lower flammability or explosive limits	No information.
Vapour pressure	No information.
Vapour density	No information.
Density	No information.
Relative density	No information.
Water solubility (g/l)	No information.
Fat solubility (g/l)	No information.
Partition coefficient: n-octanol/water	No information.
Auto-ignition temperature	No information.
Decomposition temperature	No information.

Viscosity

Kinematic viscosity	No information.
Dynamic viscosity	No information.
Explosive properties	Not classified as explosive.
Oxidising properties	none

SECTION 10: Stability and Reactivity

10.1 Reactivity

Section 10.3 to see.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 05.08.2022 Version 2

TEKKİM

Skin corrosion / irritation
Skin - Rabbit
Result: Causes burns.
(OECD Test Guideline 404)

Serious eye damage / eye irritation
Eyes - Rabbit
Result: Causes burns.
Notes: (External product safety sheet)
Causes serious eye damage. Blindness risk!

Specific Target Organ Toxicity - Single exposure
May cause respiratory irritation

Oral Acute toxicity
If swallowed, there is a risk of perforation of the esophagus and stomach with severe burning of the mouth and throat.

Acute inhalation toxicity
mucosal irritations, Cough, Shortness of breath
Possible damages : , damage to the respiratory system

11.2 Additional information

Handle in accordance with good industrial hygiene and safety practice

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish
LC50 - Danio rerio (zebrafish) - 210 mg / l - 96 h
(External product safety form)

Toxicity to daphnia and other aquatic invertebrates
EC50 - Daphnia magna (Sapphire) - 216 mg / l - 96 h
(External product safety form)

Toxicity to bacteria
EC0 - Pseudomonas putida -> 1.000 mg / l - 30 min
(OECD Test Guideline 209)

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB.

12.6 Other adverse effects

Biological effects:
Harmful effect due to pH change.
Discharge into environment must be avoided

SECTION 13: Disposal considerations

Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.

SECTION 14: Transport information



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)


TEKKİM

Revision Date: 05.08.2022 Version 2

ADR	IMDG	IATA	ADN	RID
14.1 UN number UN 3253	UN 3253	UN 3253	UN 3253	UN 3253
14.2 UN proper shipping name DISODIUM TRIOXOSILICATE	DISODIUM TRIOXOSILICATE	DISODIUM TRIOXOSILICATE	DISODIUM TRIOXOSILICATE	DISODIUM TRIOXOSILICATE

14.3 Transport hazard class(es)

8 8 8 8 8



14.4 Packing group

III III III III III

14.5 Environmental hazards

YES YES YES YES YES

No information available. No information available. No information available. No information available. No information available.

14.6 Special Precautions for User:

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been conducted for this substance.

SECTION 16: Other informations

Full text of H statements

- H290 May corrode metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

Person Who Prepared the Safety Data Sheet:

Name: Erhan DİLER
Certificate Number and Date: 11.29.03 & 11 Şubat 2020
Communication information: 05069903686



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31