

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 09.08.2022 Version 2

TEKKİM

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalog No. TK.170590.00000
Product Name Toluene
Cas no 108-88-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial use. Use as a laboratory reagent. Scientific research and development.

1.2.2. Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Name TEKKİM KİMYA SAN. TİC. LTD. ŞTİ.
Street ORGANİZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA
Telephone 0224 243 21 71
E-mail erhan@tekkim.com.tr
Company Representative Erhan DİLER

1.4 Emergency Telephone Number +90 506 990 36 86

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Flammable liquids, Category 2
Skin irritation, Category 2
Reproductive toxicity, Category 2
Specific Target Organ Toxicity – Single exposure, Category 3, Central nervous system
Specific Target Organ Toxicity – Repeated exposure, Category 2, Central nervous system
Aspiration toxicity, Category 1
Long (chronic) aquatic hazard, Category 3

For the full text of the H and EUH statements referred to in this section, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms



Signal word (SEA)

DANGER


Hazard Statements (SEA)

H225 Highly flammable liquid and vapour.
H304 Fatal if swallowed and enters airways.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H361d Suspected of damaging the unborn child.
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (SEA)



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 09.08.2022 Version 2



Prevention

- P201 Read special instructions before use.
P210 Keep away from heat/sparks/open flames/hot surfaces. -No smoking.
P273 Avoid release to the environment.

Intervention

- P301+P310 IF SWALLOWED: Call a POISON CENTER 114 or doctor/physician.
P303+P361+P353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse your skin with water/shower.
P331 Do not induce vomiting.

SECTION 3: Composition/information on ingredients

Classification according to Regulation (EC) No. 1272/2008 (CLP)

3.1 Maddeler

| | |
|---------------|-------------|
| EC No | 203-625-9 |
| Molar mass | 92.14 g/mol |
| Cas No | 108-88-3 |
| Concentration | (<= 100 %) |

SECTION 4: First aid measures

4.1 Description of first aid measures

| | |
|-------------------------------|--|
| <i>General information</i> | In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). |
| <i>Following inhalation</i> | Remove casualty to fresh air and keep warm and at rest.. |
| <i>Following skin contact</i> | Wash with plenty of water. Take off contaminated clothing. |
| <i>Following eye contact</i> | In case of contact with eyes, rinse immediately with plenty of water and consult an ophthalmologist. |
| <i>Following ingestion</i> | After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately. |

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam. Dry extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

There is no restriction for this item.

5.2 Special hazards arising from the substance or mixture

Carbon oxides. Flammable. Heavy-than-air vapors may form on the floor surface. May form explosive mixture with air at intense temperatures. In case of fire, dangerous flammable gases or vapors may develop. There may be glare. Be careful.

5.3 Advice for firefighters

Special protective equipment for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. Keep a safe distance to cut off contact with skin and wear suitable protective clothing.

5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

SECTION 6: Accidental release measures



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 09.08.2022 Version 2



6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

6.2 Environmental precautions

Be careful not to mix into the sewer. Risk of explosion.

6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area.

6.4 Reference to other sections

Disposal: see section 13.

6.5 Additional information

Clear spills immediately.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Observe label precautions. Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance. It is recommended to use a skin protection cream.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in dry and well-ventilated places. Keep away from heat and anything that can cause ignition.

7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

| | | |
|---------|--|----------------------------------|
| Toluene | (108-88-3) | |
| EN MAK | Acceptable maximum concentration (MAK) | 750 mg/m ³ |
| EN OEL | Skin description: Can be absorbed through the skin. | |
| | Another time unless specified, 15 for a minute not to be exceeded exposure upper limit value (STEL): | 100 mbp 384 mg/m ³ |
| | 8 hour set for reference time measured or calculated time weighted average (TWA): | 50 mbp 192 mg/m ³ |

8.2 Exposure controls

Appropriate engineering controls



Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 09.08.2022 Version 2

TEKKİM

More attention should be paid to technical measures against the use of personal protective equipment.

Personal protection equipment

Eye/face protection

Safety glasses

Hand protection

Hand protection

in full contact

Glove material : Viton (R)

Glove thickness: 0.7 mm

Absorption time: > 480 minutes

In contact with splash

Glove material : Viton (R)

Glove thickness: 0.7 mm

Absorption time: > 480 minutes

The gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resulting standard EN374.

Other skin protection

Flame retardant antistatic protective clothing.

Respiratory protection

Required when vapors/aerosols are generated.


Recommended Filter type: Filter A (according to DIN 3181), for vapors of organic compounds.

SECTION 9: Physical and chemical Properties

9.1 Information on basic physical and chemical properties



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY
+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66
Factory: istoc 33.ada No: 47-49-51-53
+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

TEKKİM

Revision Date: 09.08.2022

Version 2

| | |
|--|---|
| Physical state | Liquid |
| Colour | Colorless |
| Odour | Characteristic |
| Odour threshold | 0.2 - 68.6 mbp |
| pH value | Not applicable. |
| Melting point/freezing point | -95 °C |
| Freezing point | No information. |
| Initial boiling point and boiling range | 110.6 °C 1.013 hPa |
| Flash point | 4 °C 1.013 hPa |
| Evaporation rate | No information. |
| Flammability (solid, gas) | No information. |
| Upper/lower flammability or explosive limits | 1.1%(V) |
| Upper/lower flammability or explosive limits | 7.1%(V) |
| Vapour pressure | 29 hPa 20 °C |
| Vapour density | 3.18 |
| Density | 0.87 g/cm ³ 20 °C |
| Relative density | No information. |
| Water solubility (g/l) | 0.52 g/l 20 °C |
| Fat solubility (g/l) | No information. |
| Partition coefficient: n-octanol/water | log Pow: 2.65 Bioaccumulation is not expected. |
| Auto-ignition temperature | 535 °C |
| Decomposition temperature | It can be distilled without decomposition at normal pressure. |
| Viscosity | |
| Kinematic viscosity | 0.7 mm ² /s 20 °C |
| Dynamic viscosity | 0.6 mPa.s 20 °C |
| Explosive properties | Not classified as explosive. |
| Oxidising properties | none |

SECTION 10: Stability and Reactivity

10.1 Reactivity

Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

There is a risk of explosion with fragrant sulfuric acid, nitric acid, silver, perchlorates, nitrogen dioxide, nonmetal halides, acetic acid, halogen-halogen compounds, uranium hexafluoride, organic nitro compounds.

Violent reactions possible with strong acids, strong oxidizing agents.

10.4 Conditions to avoid

In case of warming.

10.5 Incompatible materials

Rubber, various plastics.

10.6 Hazardous decomposition products


No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 09.08.2022 Version 2

TEKKİM

Acute oral toxicity
LD50 Rat: 5,580 mg/kg

Acute inhalation toxicity
LC50 Inhalation - Rat - male and female - 4 h - 25.7 mg/l
(OECD Testing Guide 403)

Acute dermal toxicity
LD50 Dermal - Rabbit - > 5,000 mg/kg
(ECHA)

Skin corrosion/irritation
Skin - Rabbit
Result: irritant - 4 h
(ECHA)

Serious eye damage/eye irritation
Eyes - Rabbit
Result: slight irritation
(OECD Testing Guide 405)

Reproductive toxicity
Suspected of causing damage to the unborn child.

Specific Target Organ Toxicity – Single exposure
May cause drowsiness or dizziness. - central nervous system

Specific Target Organ Toxicity – Repeated exposure
May cause damage to organs through prolonged or repeated exposure. - central nervous system

Aspiration toxicity
Aspiration toxicity, Inhalation may cause pulmonary edema and pneumonitis.

11.2 Additional information

After absorption:
Headache, vomiting, nausea, dizziness, CNS disorders, intoxication, convulsions, circulatory dysfunction, respiratory paralysis, respiratory arrest, unconsciousness, death.
Handle in accordance with safety and hygiene rules.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish
flow-through test LC50 - Oncorhynchus kisutch (coho salmon) - 5.5 mg/l - 96 h
(ECHA)

Toxicity to daphnia and other aquatic invertebrates
EC50 - Ceriodaphnia dubia (dappie) - 3.78 mg/l - 48 h
(US-EPA)

Toxicity to bacteria
static test EC50 - Bacteria - 84 mg/l - 24 h
(ECHA)


12.2 Persistence and degradability

Biodegradability
Oxygenated (aerobic) - Exposure time 20 d
Result: 86 % - Easily degradable.
(IUCLID)

12.3 Bioaccumulative potential



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 09.08.2022 Version 2

TEKKİM

Bioaccumulation
Leuciscus idus (Golden orpheus) - 3 d - 0.05 mg/l(Toluol)

Bioconcentration factor (BCF): 90

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB.

12.6 Other adverse effects




Discharge into environment must be avoided.

SECTION 13: Disposal considerations

Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.

SECTION 14: Transport information

| ADR | IMDG | IATA | ADN | RID |
|--|---|---|---------------------------|---------------------------|
| 14.1 UN number UN 1294 | UN 1294 | UN 1294 | UN 1294 | UN 1294 |
| 14.2 UN proper shipping name TOLUENE | TOLUENE | TOLUENE | TOLUENE | TOLUENE |
| 14.3 Transport hazard class(es) 3 | 3 | 3 | 3 | 3 |
|  |  |  | | |
| 14.4 Packing group II | II | II | II | II |
| 14.5 Environmental hazards NO | NO | NO | NO | NO |
| No information available. | No information available. | No information available. | No information available. | No information available. |

14.6 Special Precautions for User:

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment


A Chemical Safety Assessment has not been conducted for this substance.

SECTION 16: Other informations

Full text of H statements



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY
+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66
Factory: istoc 33.ada No: 47-49-51-53
+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 09.08.2022 Version 2

TEKKİM


- H225 Highly flammable liquid and vapour.
H304 Fatal if swallowed and enters airways.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H361d Suspected of damaging the unborn child.
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.

Person Who Prepared the Safety Data Sheet:

Name: Erhan DİLER
Certificate Number and Date: 11.29.03 & 11 Şubat 2020
Communication information: 05069903686



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31