

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 10.08.2022 Version 2

TEKKİM

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalog No. TK.200221.00000
Product Name Nickel (II) Sulfate Hexahydrate
Cas no 10101-97-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use as a laboratory reagent.

1.2.2. Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Name TEKKİM KİMYA SAN. TİC. LTD. ŞTİ.
Street ORGANİZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA
Telephone 0224 243 21 71
E-mail erhan@tekkim.com.tr
Company Representative Erhan DİLER

1.4 Emergency Telephone Number +90 506 990 36 86

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Acute toxicity, Oral, Category 4
Acute toxicity, By inhalation, Category 4
Skin irritation, Category 2
Respiratory sensitization, Category 1
skin sensitizer, Category 1
Germ cell mutagenicity, Category 2
Carcinogenicity, Category 1A
Reproductive toxicity, Category 1B
Specific Target Organ Toxicity – Repeated exposure, Inhalation, Category 1, Respiratory
Short term (acute) aquatic hazard, Category 1
Long (chronic) aquatic hazard, Category 1

For the full text of the H and EUH statements referred to in this section, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms




Signal word (SEA)

DANGER

Hazard Statements (SEA)



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 10.08.2022 Version 2

TEKKİM

- H302 + H332 Harmful if swallowed or if inhaled.
H315 Causes skin irritation.
H317 Causes an allergic skin reaction.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H360 May damage fertility or the unborn child.
H372 Causes damage to organs (Respiratory Tract) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (SEA)

Prevention

- P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Intervention

- P301+P312 IF SWALLOWED: Call 114 POISON CENTER or doctor/physician if you feel unwell.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P304+P340 IF INHALED: Move victim to fresh air and keep in a position comfortable for breathing.
P308+P313 IF exposed and concerned: Get medical advice/attention.

SECTION 3: Composition/information on ingredients

Classification according to Regulation (EC) No. 1272/2008 (CLP)

3.1 Maddeler

EC No	232-104-9
Molar mass	262.86 g/mol
Cas No	10101-97-0
Concentration	(<= 100 %)

SECTION 4: First aid measures

4.1 Description of first aid measures

<i>General information</i>	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
<i>Following inhalation</i>	Remove casualty to fresh air and keep warm and at rest..
<i>Following skin contact</i>	Wash with plenty of water. Take off contaminated clothing.
<i>Following eye contact</i>	In case of contact with eyes, rinse immediately with plenty of water and consult an ophthalmologist.
<i>Following ingestion</i>	Give up to two glasses of water. Get medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures appropriate to the environment.

Unsuitable extinguishing media

There is no restriction for this item.

5.2 Special hazards arising from the substance or mixture


May form free in case of fire: Sulfur oxides. It is not flammable. All-round fire can release dangerous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 10.08.2022 Version 2



Do not stay in dangerous zone without self-contained breathing apparatus. Keep a safe distance to cut off contact with skin and wear suitable protective clothing.

5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert..

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area. Avoid generation of dust..

6.4 Reference to other sections

Disposal: see section 13.

6.5 Additional information

Clear spills immediately.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Pay attention to the precautions on the label. Work with the title. Do not inhale the substance. Avoid the formation of dust.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance. It is recommended to use a skin protection cream.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in dry and well-ventilated places.

7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.

Personal protection equipment


Eye/face protection

Safety glasses

Hand protection



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 10.08.2022 Version 2

TEKKİM

Hand protection

Full contact

Glove material : Nitrile rubber
Glove thickness :0,11 mm
Break through time : >480 minute

Splash contact

Glove material : Nitrile rubber
Glove thickness :0,11 mm
Break through time : >480 minute

The protective gloves to be used must comply with the specifications of directive 89/686/EEC and the related standart EN374.

Other skin protection

Protective chlothing.

Respiratory protection

Required when dusts occur.

Recommended Filter type: P 3 Filter (according to DIN 3181) for solid and liquid particles of toxic and highly toxic elements.

SECTION 9: Physical and chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	Crystal
Colour	Green
Odour	Odorless
Odour threshold	Not applicable.
pH value	No information.
Melting point/freezing point	No information.
Freezing point	No information.
Initial boiling point and boiling range	No information.
Flash point	Not applicable.
Evaporation rate	No information.
Flammability (solid, gas)	This product is not flammable.
Upper/lower flammability or explosive limits	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not applicable.
Vapour density	No information.
Density	2.07 g/cm ³ 20 °C
Relative density	No information.
Water solubility (g/l)	No information.
Fat solubility (g/l)	No information.
Partition coefficient: n-octanol/water	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	No information.

Viscosity

Kinematic viscosity	No information.
Dynamic viscosity	No information.
Explosive properties	Not classified as explosive.
Oxidising properties	none

SECTION 10: Stability and Reactivity

10.1 Reactivity

Section 10.3 to see.

10.2 Chemical stability



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 10.08.2022 Version 2

TEKKİM

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Oral - Rat - 361.9 mg/kg
(OECD Test Guideline 425)

Acute respiratory toxicity

Estimated acute toxicity Inhalation - 4 h - 1.6 mg/l
(Expert decision)

Respiratory or skin sensitization

Maximization Test - Guinea Pig
May cause an allergic skin reaction.

Germ cell mutagenicity

In vitro tests have shown mutagenic effects Suspected of causing genetic damage.

Mutagenicity (mammalian cell test).

Result: positive

(National Toxicology Program)

Carcinogenicity

Carcinogenic to humans.

IARC: 1 - Group 1: Human carcinogen (Nickel (II) Sulfate Hexahydrate)

Reproductive toxicity

Assumed reproductive toxicant for humans May cause damage to the unborn child.

Specific Target Organ Toxicity - Repeated exposure

If inhaled - Causes damage to organs through prolonged or repeated exposure. - Breathing Tube

11.2 Additional information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.


12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB.

12.6 Other adverse effects



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 10.08.2022 Version 2

TEKKİM

Discharge into environment must be avoided.

SECTION 13: Disposal considerations

Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.

SECTION 14: Transport information

ADR	IMDG	IATA	ADN	RID
14.1 UN number UN 3077	UN 3077	UN 3077	UN 3077	UN 3077
14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,SOLID, N.O.S.(Contains: Nickel (II) Sulfate Hexahydrate), MARINE POLLUTANT,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,SOLID, N.O.S.(Contains: Nickel (II) Sulfate Hexahydrate), MARINE POLLUTANT,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,SOLID, N.O.S.(Contains: Nickel (II) Sulfate Hexahydrate), MARINE POLLUTANT,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,SOLID, N.O.S.(Contains: Nickel (II) Sulfate Hexahydrate), MARINE POLLUTANT,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,SOLID, N.O.S.(Contains: Nickel (II) Sulfate Hexahydrate), MARINE POLLUTANT,
14.3 Transport hazard class(es) 9	9	9	9	9
				
14.4 Packing group III	III	III	III	III
14.5 Environmental hazards YES	YES	YES	YES	YES
Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9	Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9	Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9	Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9	Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9

14.6 Special Precautions for User:

Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9

SECTION 15: Regulatory information

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment


A Chemical Safety Assessment has not been conducted for this substance.

SECTION 16: Other informations

Full text of H statements



Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY
☎ +90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66
Factory: istoc 33.ada No: 47-49-51-53
☎ +90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 10.08.2022 Version 2

TEKKİM


- H302 + H332 Harmful if swallowed or if inhaled.
H315 Causes skin irritation.
H317 Causes an allergic skin reaction.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H360 May damage fertility or the unborn child.
H372 Causes damage to organs (Respiratory Tract) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Person Who Prepared the Safety Data Sheet:

Name: Erhan DİLER
Certificate Number and Date: 11.29.03 & 11 Şubat 2020
Communication information: 05069903686



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY
+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66
Factory: istoc 33.ada No: 47-49-51-53
+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31