

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 17.08.2022 Version 2



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalog No. TK.201043.00000
Product Name Lithium Carbonate
Cas no 554-13-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Pharmaceutical production. Use as a laboratory reagent.

1.2.2. Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Name TEKKİM KİMYA SAN. TİC. LTD. ŞTİ.
Street ORGANİZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA
Telephone 0224 243 21 71
E-mail erhan@tekkim.com.tr
Company Representative Erhan DİLER

1.4 Emergency Telephone Number +90 506 990 36 86

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Acute toxicity, Category 4, Oral
Eye irritation, Category 2

For the full text of the H and EUH statements referred to in this section, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms



Signal word (SEA)

WARNING

Hazard Statements (SEA)

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

Precautionary Statements (SEA)

Intervention

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if fitted and easy to do. Continue rinsing.

SECTION 3: Composition/information on ingredients

Classification according to Regulation (EC) No. 1272/2008 (CLP)

3.1 Maddeler

EC No 209-062-5
Molar mass 73.89 g/mol
Cas No 554-13-2
Concentration (<= 100 %)



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY
+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66
Factory: istoc 33.ada No: 47-49-51-53
+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 17.08.2022 Version 2



SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Following inhalation

Provide fresh air..

Following skin contact

Wash with plenty of water. Take off contaminated clothing.

Following eye contact

In case of contact with eyes, rinse eyelids with water for 10-15 minutes. See a doctor immediately.

Following ingestion

Give up to two glasses of water. Get medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures appropriate to the environment.

Unsuitable extinguishing media

There is no restriction for this item.

5.2 Special hazards arising from the substance or mixture

It is not flammable. All-round fire can release dangerous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus..

5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert..

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area. Avoid generation of dust..

6.4 Reference to other sections

Disposal: see section 13.

6.5 Additional information

Clear spills immediately.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Observe label precautions.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 17.08.2022

Version 2



Storage conditions

Keep container tightly closed in dry and well-ventilated places.

7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.

Personal protection equipment

Eye/face protection

Safety glasses

Hand protection

Hand protection

Full contact

Glove material : Nitrile rubber

Glove thickness : 0,11 mm

Break through time : >480 minute

Splash contact

Glove material : Nitrile rubber

Glove thickness : 0,11 mm

Break through time : >480 minute

The protective gloves to be used must comply with the specifications of directive 89/686/EEC and the related standart EN374.

Other skin protection

Protective chlothing.

Respiratory protection

Required when dusts occur.


Recommended filter type :P 2 Filter (according to DIN 3181) for solid and liquid particles of harmful elements.

SECTION 9: Physical and chemical Properties

9.1 Information on basic physical and chemical properties



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY
☎ +90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66
Factory: istoc 33.ada No: 47-49-51-53
☎ +90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 17.08.2022

Version 2

Physical state	Solid
Colour	White
Odour	Odorless
Odour threshold	Not applicable.
pH value	10 - 11 5 g/l 20 °C
Melting point/freezing point	720 °C
Freezing point	No information.
Initial boiling point and boiling range	Not applicable.
Flash point	It doesn't shine.
Evaporation rate	No information.
Flammability (solid, gas)	It is not flammable.
Upper/lower flammability or explosive limits	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	No information.
Vapour density	No information.
Density	2.1 g/cm ³ 20 °C
Relative density	No information.
Water solubility (g/l)	13 g/l 20 °C
Fat solubility (g/l)	No information.
Partition coefficient: n-octanol/water	No information.
Auto-ignition temperature	No information.
Decomposition temperature	1,310 °C

Viscosity

Kinematic viscosity	No information.
Dynamic viscosity	No information.
Explosive properties	Not classified as explosive
Oxidising properties	none

SECTION 10: Stability and Reactivity

10.1 Reactivity

Section 10.3 to see.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

There is a risk of explosion or formation of flammable gases or vapors with fluorine and alkaline earth metals.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 17.08.2022

Version 2



Acute oral toxicity
LD50 Rat: 525 mg/kg
(ECHA)
Symptoms: Irritating to the mucous membrane

Acute inhalation toxicity
LC50 Rat: > 2.17 mg/l; 4 hours; dust/mist
OECD Test Guideline 403
Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity
LD50 Rabbit: > 3,000 mg/kg
OECD Test Guideline 402

Eye irritation
Causes serious eye irritation.
Rabbit
Result: Eye irritation
OECD Test Guideline 405

11.2 Additional information

After toxic quantities have been absorbed:
CNS disorders, visual disturbances, drowsiness, poor functioning of the circulatory system.
Handle in accordance with safety and hygiene rules.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish
static test LC50 Oncorhynchus mykiss (Rainbow trout): 30.3 mg/l; 96 h
Analytical observation: yes
OECD Test Guideline 203
static test NOEC Oncorhynchus mykiss (Rainbow trout): 19.1 mg/l; 96 h
Analytical observation: yes
OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates
static test EC50 Daphnia magna (Water flea): 33 mg/l; 48 hours
Analytical observation: yes
OECD Test Guideline 202
static test NOEC Daphnia magna (Water flea): 20 mg/l; 48 hours
Analytical observation: yes
OECD Test Guideline 202

Toxicity to algae (algae)
static test ErC50 Desmodesmus subspicatus (green algae): > 400 mg/l; 72 hours
Analytical observation: yes
OECD Test Guideline 201
static test NOEC Desmodesmus subspicatus (green algae): 50 mg/l; 72 hours
Analytical observation: yes
OECD Test Guideline 201

Toxicity to bacteria
static test EC50 active waste: 278 mg/l; 3 hours
OECD Test Guideline OECD 209

12.2 Persistence and degradability

Methods for measuring biological degradation cannot be applied to inorganic substances.

12.3 Bioaccumulative potential

No information available.



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 17.08.2022

Version 2



12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB.

12.6 Other adverse effects


Discharge into environment must be avoided.

SECTION 13: Disposal considerations

Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.

SECTION 14: Transport information

ADR	IMDG	IATA	ADN	RID
14.1 UN number				
--	--	--	--	--
14.2 UN proper shipping name				
It is not classified as dangerous goods.	It is not classified as dangerous goods.	It is not classified as dangerous goods.	It is not classified as dangerous goods.	It is not classified as dangerous goods.
14.3 Transport hazard class(es)				
--	--	--	--	--
				
14.4 Packing group				
--	--	--	--	--
14.5 Environmental hazards				
NO	NO	NO	NO	NO
No information available.	No information available.	No information available.	No information available.	No information available.

14.6 Special Precautions for User:

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been conducted for this substance.

SECTION 16: Other informations


Full text of H statements

H302 Harmful if swallowed.

H319 Causes serious eye irritation.



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY
☎ +90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66
Factory: istoc 33.ada No: 47-49-51-53
☎ +90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006
(REACH)



Revision Date: 17.08.2022


Version 2

Person Who Prepared the Safety Data Sheet:

Name: Erhan DİLER
Certificate Number and Date: 11.29.03 & 11 Şubat 2020
Communication information: 05069903686



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY
☎ +90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66
Factory: istoc 33.ada No: 47-49-51-53
☎ +90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31