Safety Data Sheet according to Regulation (EC) No. 1907/2006 (RFACH)



Revision Date: 06.09.2022 Version 2

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Catalog No. TK.201788.00000
Product Name Formic Acid %65

Cas no 64-18-6

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial use. Use as a laboratory reagent.

1.2.2. Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Name TEKKİM KİMYA SAN. TİC. LTD. STİ.

Street ORGANİZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA

Telephone 0224 243 21 71

E-mail erhan@tekkim.com.tr

Company Representative Erhan DİLER

1.4 Emergency Telephone Number +90 506 990 36 86

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Skin corrosion / irritation, Category 1A

For the full text of the H and EUH statements in this section, see section 16.

#### 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms





Signal word (SEA)

**DANGER** 

Hazard Statements (SEA)

H314 Causes severe skin burns and eye damage.

Precautionary Statements (SEA)

Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for a few minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 If there is thickening and interactions: Get medical attention / care.

## **SECTION 3: Composition/information on ingredients**

Classification according to Regulation (EC) No. 1272/2008 (CLP)

#### 3.1 Maddeler

 EC No
 200-579-1

 Molar mass
 46.03 g/mol

 Cas No
 64-18-6







Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY +90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 06.09.2022 Version 2

64-18-6



# Concentration

# SECTION 4: First aid measures 4.1 Description of first aid measures

General information In case of accident or unwellness, seek medical advice immediately

(show directions for use or safety data sheet if possible).

Following inhalation Remove to fresh air. Call a doctor. If breathing stops: apply mechanical

respiration immediately, with oxygen if necessary.

Following skin contact Wash with plenty of water. Take off contaminated clothing.

Following eye contact In case of contact with eyes, rinse immediately with plenty of water and

consult an ophthalmologist.

Following ingestion Please give up to two glassesof water. Get immediate medical attention...

Do not induce vomiting..

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water. Foam. Dry extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

There is no restriction for this item.

#### 5.2 Special hazards arising from the substance or mixture

Flammable. Heavy vapors in the air at the ground surface may occur. It can create explosive mixtures with air on intense heating. In case of fire hazardous combustion gases or vapors may occur.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. Keep a safe distance to cut off contact with skin and wear suitable protective clothing.

#### 5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert..

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area. Avoid generation of dust...

## 6.4 Reference to other sections

Disposal: see section 13.

#### 6.5 Additional information

Clear spills immediately.

#### **SECTION 7: Handling and Storage**

#### 7.1 Precautions for safe handling

Advices on safe handling







www.tekkim.com.tr | tekkim@tekkim.com.tr

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 06.09.2022 Version 2



Observe label precautions. Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Protect from light. Metal packaging should not be used.

#### 7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

## **SECTION 8: Exposure controls / personal protection**

#### 8.1 Control parameters

Contains no subtances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.

#### Personal protection equipment

Eye/face protection

Safety glasses

Hand protection

Hand protection

Full contact

Glove material: polychloropen Glove thickness:0,65 mm Break through time: >480minute

Splash contact:

Glove material : natural latex Glove thickness :0,60 mm Break through time : >60minute

The protective gloves to be used must comply with the specifications of directive 89/686/EEC and the related standart EN374

Other skin protection

Acid-resistant protective clothing

Respiratory protection


Required when vapors / aerosols are formed. Recommended Filter Type: E(93) filter

#### **SECTION 9: Physical and chemical Properties**

## 9.1 Information on basic physical and chemical properties







Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 06.09.2022 Version 2

**TEKKIM** 

Physical state Liquid
Colour Transparent
Odour Stinging
Odour threshold No information.

pH value 2,2 - 2,5 10 g/l 20 °C Melting point/freezing point No information.

Freezing point No information.

Freizing point No information.

Initial boiling point and boiling range No information.

Flash point

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Upper/lower flammability or explosive limits

No information.

No information.

No information.

No information.

Upper/lower flammability or explosive limits
Vapour pressure
Vapour density

No information.
No information.
No information.

Density 1,14 - 1,16 g/cm3 20 °C

Relative density
Water solubility (g/l)
No information.
Soluble.

Fat solubility (g/l)

Partition coefficient: n-octanol/water

Auto ignition temperature

No information.

Auto-ignition temperature

No information.

No information.

Viscosity

Kinematic viscosity

Dynamic viscosity

No information.

No information.

Explosive properties Not classified as explosive.

Oxidising properties none

#### **SECTION 10: Stability and Reactivity**

#### 10.1 Reactivity

Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

Sensitive to light. Sensitive to air.

#### 10.3 Possibility of hazardous reactions

Risk of explosion or formation of flammable gases or vapors with aluminum.

Risk of explosion with organic nitro compounds, sodium hypochlorite, hydrogen peroxide, furfuryl alcohol.

In contact with alkalines, strong oxidizing agents, sulfuric acid, nonmetal oxides, metal catalysts, phosphorus oxides, nitric acid, nitrates, it creates dangerous gases or vapors.

They can react exothermic with alkaline earth hydroxides, alkali hydroxides, bases, amines.

#### 10.4 Conditions to avoid

Strong heating. Keep away from direct sunlight.

## 10.5 Incompatible materials

Metals.

#### 10.6 Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects





Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 06.09.2022 Version 2



Acute oral toxicity LD50 Rat: 730 mg / kg OECD Test Guideline 401

Symptoms: If swallowed, severe burning of the mouth and throat with perforation of the esophagus and stomach there

is a risk.

Acute inhalation toxicity

LC50 Rat: 7.85 mg / I; 4 hrs; steam

**OECD Test Guideline 403** 

Symptoms: Burning of mucous membranes, Cough, Shortness of breath, Possible damages: damage to the respiratory

system, Pulmonary edema

Skin irritation

Rabbit

Result: Causes burns. OECD Test Guideline 404

Causes severe burns. Dermatitis, skin burning

Eye irritation

Causes serious eye damage. conjunctivitis Lacrimal irritation due to vapors.

Blindness risk!

#### 11.2 Additional information

After absorption:

acidosis, haemolysis

Handle in accordance with good industrial hygiene and safety practice.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish

LC50 Leuciscus idus (Golden orpere): 46 - 100 mg / I; 96 h

(IUCLID)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 34.2 mg / I; 48 hrs

(IUCLID)

Toxicity to algae (algae)

IC50 Desmodesmus subspicatus (green algae): 27 mg / l; 72 hrs

(Source)

Toxicity to bacteria

EC10 active waste: 72 mg / I; 13 g (External product safety sheet)

EC50 Pseudomonas putida: 47 mg / I; 17 hrs

(IUCLID)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) semi-static test NOEC Daphnia magna (Water flea):> = 100 mg / I; 21 g

Analytical monitoring: yes

**OECD Test Guideline 211** 

#### 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential


No information available.

#### 12.4 Mobility in soil

No information available.







Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr **Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory:** O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

+90 224 243 21 /1 (pbx) | 1 dx. +90 224 242 9/

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006

Revision Date: 06.09.2022 Version 2

8(3)



#### 12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB.

8(3)

#### 12.6 Other adverse effects

Discharge into environment must be avoided.

## **SECTION 13: Disposal considerations**

#### Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.

SECTION 14:	Fransport in	formation
-------------	--------------	-----------

	SECTION 14: Transport information							
	ADR	IMDG	IATA	ADN	RID			
	14.1 UN number							
	UN 2031	UN 2031	UN 2031	UN 2031	UN 2031			
14.2 UN proper shipping name								
	FORMIC ACID	FORMIC ACID	FORMIC ACID	FORMIC ACID	FORMIC ACID			
44.0 Transport harmand along (ap)								
14.3 Transport hazard class(es)								



8(3)



## 14.4 Packing group

Ш Ш

8(3)

#### 14.5 Environmental hazards

YES YES YES YES

No information available. No information available. No information available. No information available. No information available.

#### 14.6 Special Precautions for User:

No information available.

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been conducted for this substance.

#### **SECTION 16: Other informations**

Full text of H statements

H314 Causes severe skin burns and eye damage.







www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

8(3)

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 06.09.2022 Version 2



Person Who Prepared the Safety Data Sheet:

Name:

Erhan DİLER

Certificate Number and Date: 11.29.03 & 11 Şubat 2020 Communication information:

05069903686





Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

<u>Factory:</u> istoc 33.ada No: 47-49-51-53