

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 06.09.2022 Version 2



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalog No. TK.201790.00000
Product Name Dimethyl Sulfoxide
Cas no 67-68-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial use. Use as a laboratory reagent.

1.2.2. Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Name TEKKİM KİMYA SAN. TİC. LTD. ŞTİ.
Street ORGANİZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA
Telephone 0224 243 21 71
E-mail erhan@tekkim.com.tr
Company Representative Erhan DİLER

1.4 Emergency Telephone Number +90 506 990 36 86

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Not a dangerous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms

Signal word (SEA)

Not a dangerous substance or mixture according to Regulation (EC) No 1272/2008.

Hazard Statements (SEA)

Not a dangerous substance or mixture according to Regulation (EC) No 1272/2008.

Precautionary Statements (SEA)

Not a dangerous substance or mixture according to Regulation (EC) No 1272/2008.

SECTION 3: Composition/information on ingredients

Classification according to Regulation (EC) No. 1272/2008 (CLP)

3.1 Maddeler

EC No 200-664-3
Molar mass 78.13 g/mol
Cas No 67-68-5
Concentration (<= 100 %)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Following inhalation

Provide fresh air..



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY
+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66
Factory: istoc 33.ada No: 47-49-51-53
+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 06.09.2022 Version 2

Following skin contact

Wash with plenty of water. Take off contaminated clothing.

Following eye contact

Rinse immediately carefully and thoroughly with eye-bath or water..

Following ingestion

Give up to two glasses of water. Get medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water. Foam. Dry extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

There is no restriction for this item.

5.2 Special hazards arising from the substance or mixture

Carbon oxides. Sulfur oxides. Flammable. Fire may cause evolution of: Sulfur oxides. Heavy-than-air vapors may form on the floor surface. Forms explosive mixtures with air at intense temperatures. In case of fire, dangerous flammable gases or vapors may develop.

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus..

5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert..

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area.

6.4 Reference to other sections

Disposal: see section 13.

6.5 Additional information

Clear spills immediately.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Observe label precautions.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in dry and well-ventilated places.

7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 06.09.2022

Version 2



SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.

Personal protection equipment

Eye/face protection

Safety glasses

Hand protection

Hand protection

in full contact

Glove material : Chloroprene

Glove thickness: 0.65 mm

Absorption time: > 480 minutes

In contact with splash

Glove material : Latex gloves

Glove thickness: 0.60 mm

Absorption time: > 240 minutes

Gloves to be used must comply with EC directive 89/686/EEC specifications and EN 374 standards.

Other skin protection

Protective clothing.

Respiratory protection

Required when vapors/aerosols are generated.


Recommended Filter type: Filter A (according to DIN 3181), for vapors of organic compounds.

SECTION 9: Physical and chemical Properties

9.1 Information on basic physical and chemical properties



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 06.09.2022

Version 2

Physical state	Liquid
Colour	Colorless
Odour	Characteristic
Odour threshold	No information.
pH value	No information.
Melting point/freezing point	18,5 °C 1.013 hPa
Freezing point	No information.
Initial boiling point and boiling range	189 °C 1,013 hPa
Flash point	87 °C
Evaporation rate	No information.
Flammability (solid, gas)	300 - 302 °C
Upper/lower flammability or explosive limits	2,6 %(V)
Upper/lower flammability or explosive limits	28,5 %(V)
Vapour pressure	0,6 hPa 20 °C
Vapour density	2,7
Density	1,10 g/cm3 20 °C
Relative density	No information.
Water solubility (g/l)	Soluble.
Fat solubility (g/l)	No information.
Partition coefficient: n-octanol/water	log Pow: -1.35 (experimental) Bioaccumulation is not expected.
Auto-ignition temperature	300 - 302 °C
Decomposition temperature	> 190 °C
Viscosity	
Kinematic viscosity	No information.
Dynamic viscosity	2,14 mPa.s 20 °C
Explosive properties	Not classified as explosive.
Oxidising properties	none

SECTION 10: Stability and Reactivity

10.1 Reactivity

Forms explosive mixtures with air at intense temperatures.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

Powerful heating.

10.5 Incompatible materials

Acid chlorides, phosphorus halides, strong acids, strong oxidizing agents, strong reducing agents.

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 06.09.2022

Version 2



Acute oral toxicity
LD50 Oral - Rat - male and female - 28,300 mg/kg
(OECD Test Guideline 401)

Acute inhalation toxicity
LC0 Inhalation - Rat - male and female - 4 h - > 5.33 mg/l
(OECD Test Guideline 403)

Acute dermal toxicity
LD50 Dermal - Rat - male and female - 40.000 mg/kg
(ECHA)

Skin irritation
Skin - Rabbit
Result: slight irritation - 4 h
(OECD Test Guideline 404)

Eye irritation
Eyes - Rabbit
Result: slight irritation - 24 h
(OECD Test Guideline 405)

11.2 Additional information

Exposure to large amounts may cause: skin rash, itching, burning, sedation, headache, nausea, dizziness.
Handle in accordance with safety and hygiene rules.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish
static test LC50 - Danio rerio (zebrafish) - > 25,000 mg/l - 96 h
(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates
static test EC50 - Daphnia magna (Water flea) - 24.600 mg/l - 48 h
(OECD Test Guideline 202)

Toxicity to algae (algae)
static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 17.000 mg/l - 72 h
(OECD Test Guideline 201)

Toxicity to bacteria
EC50 - activated sludge - 10 - 100 mg/l - 30 min
(ISO 8192)

12.2 Persistence and degradability

Biodegradability
oxygenated (aerobic) - Exposure time 28 d
Result: 31 % - Not easily degraded.
(OECD Test Guideline 301D)

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB.

12.6 Other adverse effects

Discharge into environment must be avoided.

SECTION 13: Disposal considerations



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 06.09.2022 Version 2



Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.

SECTION 14: Transport information

ADR	IMDG	IATA	ADN	RID
14.1 UN number				
--	--	--	--	--
14.2 UN proper shipping name				
It is not classified as dangerous goods.	It is not classified as dangerous goods.	It is not classified as dangerous goods.	It is not classified as dangerous goods.	It is not classified as dangerous goods.
14.3 Transport hazard class(es)				
--	--	--	--	--
14.4 Packing group				
--	--	--	--	--
14.5 Environmental hazards				
NO	NO	NO	NO	NO
No information available.	No information available.	No information available.	No information available.	No information available.

14.6 Special Precautions for User:

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been conducted for this substance.

SECTION 16: Other informations

Full text of H statements

Not a dangerous substance or mixture according to Regulation (EC) No 1272/2008.

Person Who Prepared the Safety Data Sheet:

Name:

Certificate Number and Date:

Communication information:

Erhan DİLER

11.29.03 & 11 Şubat 2020

05069903686



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY
☎ +90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66
Factory: istoc 33.ada No: 47-49-51-53
☎ +90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31