Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 08.09.2022 Version 2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product	identifier

Catalog No.TK.201798.00000Product NameButylhydroxy toluene (BHT)Cas no128-37-0**1.2 Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified usesPharmaceutical production. Cosmetic raw material. Synthesis chemical.

*1.2.2. Uses advised against* No information available.

## 1.3. Details of the supplier of the safety data sheet

i.s. Details of the supplier of the safety data sheet				
TEKKİM KİMYA SAN. TİC. LTD. ŞTİ.				
ORGANİZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA				
0224 243 21 71				
erhan@tekkim.com.tr				
Erhan DİLER				

1.4 Emergency Telephone Number +90 506 990 36 86

**SECTION 2: Hazards identification** 

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP) Long (chronic) aquatic hazard, Category 1

For the full text of the H and EUH statements referred to in this section, see section 16.

## 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP) Hazard pictograms



 Signal word (SEA)

 WARNING

 Hazard Statements (SEA)

 H410
 Very toxic to aquatic life with long lasting effects.

 Precautionary Statements (SEA)

 Prevention

 P273
 Avoid release to the environment.

 P391
 Collect spillage.

 P501
 Dispose of contents/container to an approved waste disposal facility.

 SECTION 3: Composition/information on ingredients

 Classification according to Regulation (EC) No. 1272/2008 (CLP)

 3.1 Maddeler

 EC No
 204-881-4

Molar mass	220.35 g/mol
Cas No	128-37-0
Concentration	(<= 100 % )

## SECTION 4: First aid measures





Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

 Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

 Factory:
 0.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

 +90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

 Factory:
 istoc 33.ada No: 47-49-51-53

 +90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 08.09.2022 Version 2

4.1 Description of first aid measu	res
General information	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
Following inhalation	Provide fresh air
Following skin contact	Wash with plenty of water. Take off contaminated clothing.
Following eye contact	Rinse immediately carefully and thoroughly with eye-bath or water
Following ingestion	Give up to two glasses of water. Get medical help immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

## 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Water spray. Alcohol resistant foam. Dry extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

There is no restriction for this item.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides. Flammable. Heavy-than-air vapors may form on the floor surface. Forms explosive mixtures with air at intense temperatures. In case of fire, dangerous flammable gases or vapors may develop.

## 5.3 Advice for firefighters

Special protective equipment for firefighters In case of fire: Wear self-contained breathing apparatus..

## 5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Don't breathe vapours,aerosols.Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures,consult an expert.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area. Avoid generation of dust.

#### 6.4 Reference to other sections

Disposal: see section 13.

#### 6.5 Additional information

Clear spills immediately.

## SECTION 7: Handling and Storage

## 7.1 Precautions for safe handling

Advices on safe handling

Observe label precautions.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance.

## 7.2 Conditions for safe storage, including any incompatibilities





Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr 
 Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

 Factory:
 0.S.B Mavi Cadde 8.Sokak No:1 Nüfer - BURSA | TURKEY

 +90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

 Factory:
 istoc 33.ada No: 47-49-51-53

 +90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Storage conditions

Keep container tightly closed in dry and well-ventilated places.

## 7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

## SECTION 8: Exposure controls / personal protection

## 8.1 Control parameters

Contains no subtances with occupational exposure limit values.

## 8.2 Exposure controls

## Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.

## Personal protection equipment

Eye/face protection Safety glasses

Hand protection

Hand protection

Full contact Glove material : Nitrile rubber Glove thickness :0,11 mm Break through time : >480 minute

Splash contact Glove material : Nitrile rubber Glove thickness :0,11 mm Break through time : >480 minute

The protective gloves to be used must comply with the specifications of directive 89/686/EEC and the related standart EN374.

Other skin protection

Protective chlothing.

Respiratory protection

Required when dusts occur. Recommended Filter type: Filter A-(P2)

**SECTION 9: Physical and chemical Properties** 

9.1 Information on basic physical and chemical properties





Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015 
 Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

 Factory:
 0.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

 +90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

 Factory:
 istoc 33.ada No: 47-49-51-53

 +90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31



Revision Date: 08.09.2022 Version 2

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Physical state Colour Odour Odour threshold pH value Melting point/freezing point Freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Upper/lower flammability or explosive limits Vapour pressure Vapour density Density Relative density Water solubility (g/l) Fat solubility (q/l) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature

Revision Date: 08.09.2022 Version 2 Solid White Odorless Not applicable. No information. 69.8 °C No information. 265 °C 1.013 hPa 127 °C No information. > 400 °C No information. No information. 0.39 Pa 20 °C No information. 1,05 g/cm3 20 °C No information. <0,001 g/l 20 °C No information. LogPow : 5,10 - Possible bioaccumulation No information. No information.

Viscosity

Kinematic viscosity Dynamic viscosity Explosive properties Oxidising properties

No information. No information. Not classified as explosive. none

## **SECTION 10: Stability and Reactivity**

## 10.1 Reactivity

Risk of dust explosion. Forms explosive mixtures with air at intense temperatures.

## **10.2 Chemical stability**

The product is stable under storage at normal ambient temperatures.

## 10.3 Possibility of hazardous reactions

Violent reactions possible with bases, oxidizing agents, strong acids, acid chlorides, acid anhydrides, peroxides, sulfuric acid.

## 10.4 Conditions to avoid

Powerful heating.

## **10.5 Incompatible materials**

Brass, copper, mild steel, copper compounds.

## 10.6 Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute oral toxicity LD50 Oral - Rat - male and female - > 6,000 mg/kg (OECD Test Guideline 401)


Acute dermal toxicity LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

## **11.2 Additional information**

Handle in accordance with good industrial hygiene and safety practice.

ECHNIC





Tekkim Kimya Company is an 🔣 group company www.tekkim.com.tr | tekkim@tekkim.com.tr ISO 14001:2015

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY +90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66 Factory: istoc 33.ada No: 47-49-51-53 +90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 08.09.2022 Version 2



## **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Danio rerio (zebrafish) - > 0.57 mg/l - 96 h (Annex V 67/548/EEC Directive, C.1.)

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 0.48 mg/l - 48 h (OECD Test Guideline 202)

Toxicity to algae (algae) static test ErC50 - Desmodesmus subspicatus (green algae) - > 0.4 mg/l - 72 h (Annex V 67/548/EEC Directive, C.3.) static test EC10 - Desmodesmus subspicatus (green algae) - approx. 0.4 mg/l - 72 h (Annex V 67/548/EEC Directive, C.3.)

Toxicity to bacteria static test EC50 - activated sludge - > 10.000 mg/l - 3 h (OECD Test Guideline 209)

## 12.2 Persistence and degradability

No information available.

## 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB.

### 12.6 Other adverse effects

Discharge into environment must be avoided.

## **SECTION 13: Disposal considerations**

#### Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.

SECTION 14: Transport information						
ADR	IMDG	IATA	ADN	RID		
14.1 UN number						
UN 3077	UN 3077	UN 3077	UN 3077	UN 3077		
14.2 UN proper shipping name						
ENVIRONMENTALLY HAZARDOUS SUBSTANCE,SOLID, N.O.S.(Contains: Butylhydroxy toluene (BHT)), MARINE POLLUTANT,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,SOLID, N.O.S.(Contains: Butylhydroxy toluene (BHT)), MARINE POLLUTANT,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,SOLID, N.O.S.(Contains: Butylhydroxy toluene (BHT)), MARINE POLLUTANT,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,SOLID, N.O.S.(Contains: Butylhydroxy toluene (BHT)), MARINE POLLUTANT,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,SOLID, N.O.S.(Contains: Butylhydroxy toluene (BHT)), MARINE POLLUTANT,		
14.3 Transport hazard class(es)						
9	9	9	9	9		





Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015 
 Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

 Factory:
 0.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

 +90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

 Factory:
 istoc 33.ada No: 47-49-51-53

 +90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 08.09.2022 Version 2





14.4 Packing group

#### 14.5 Environmental hazards

YES	YES	YES	YES	YES
Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9	Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9	Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9	Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9	Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9

## 14.6 Special Precautions for User:

Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been conducted for this substance.

## **SECTION 16: Other informations**

Full text of H statements

H410 Very toxic to aquatic life with long lasting effects.

Person Who Prepared the Safety Data Sheet:

Name: Certificate Number and Date: Communication information:

Erhan DİLER 11.29.03 & 11 Şubat 2020 05069903686





Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015 
 Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

 Factory:
 O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

 +90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

 Factory:
 istoc 33.ada No: 47-49-51-53

 +90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31