Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 17.11.2022 Version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Catalog No. TK.930088.00000

Product Name Eosine Yellow (C.I.45380)

Cas no 17372-87-1

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses Use as a laboratory reagent.

1.2.2. Uses advised against

No information available.

## 1.3. Details of the supplier of the safety data sheet

Name TEKKİM KİMYA SAN. TİC. LTD. STİ.

Street ORGANİZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA

Telephone 0224 243 21 71

E-mail erhan@tekkim.com.tr

Company Representative Erhan DİLER

1.4 Emergency Telephone Number +90 506 990 36 86

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Eye irritation, Category 2 Skin sensitization, Category 1

For the full text of the H and EUH statements referred to in this section, see section 16.

#### 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms



Signal word (SEA)

**WARNING** 

Hazard Statements (SEA)

H317 Causes an allergic skin reaction.

H319 Causes serious eye irritation.

Precautionary Statements (SEA)

#### Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P272 Do not take contaminated clothing out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Intervention

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if fitted and easy to do. Continue rinsing.

# **SECTION 3: Composition/information on ingredients**

Classification according to Regulation (EC) No. 1272/2008 (CLP)







Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

**Factory:** istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



3.1 Maddeler

EC No 241-409-6 691.86 g/mol Molar mass Cas No 17372-87-1 Concentration (<= 100 %)

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General information In case of accident or unwellness, seek medical advice immediately

(show directions for use or safety data sheet if possible).

Version 2

Revision Date: 17.11.2022

Provide fresh air... Following inhalation

Following skin contact Wash with plenty of water. Take off contaminated clothing.

Following eye contact In case of contact with eyes, rinse immediately with plenty of water and

consult an ophthalmologist.

Give up to two glasses of water. Get medical help immediately. Following ingestion

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

# 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water. Foam. Dry extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

There is no restriction for this item.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides. Hydrogen bromide gas. Sodium oxide. Flammable. Fire may cause evolution of: hydrogen bromide. Heavy-than-air vapors may form on the floor surface. Forms explosive mixtures with air at intense temperatures. In case of fire, dangerous flammable gases or vapors may develop.

# 5.3 Advice for firefighters

Special protective equipment for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. Keep a safe distance to cut off contact with skin and wear suitable protective clothing.

#### 5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert..

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area. Avoid generation of dust...

## 6.4 Reference to other sections


Disposal: see section 13.

# 6.5 Additional information

Clear spills immediately.







Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Sirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 17.11.2022 Version 2

# **SECTION 7: Handling and Storage**

## 7.1 Precautions for safe handling

Advices on safe handling

Observe label precautions.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in dry and well-ventilated places.

### 7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

# **SECTION 8: Exposure controls / personal protection**

### 8.1 Control parameters

Contains no subtances with occupational exposure limit values.

### 8.2 Exposure controls

### Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.

# Personal protection equipment

Eye/face protection

Safety glasses

Hand protection

Hand protection

Full contact

Glove material: Nitrile rubber Glove thickness: 0,11 mm

Break through time: >480 minute

Splash contact

Glove material : Nitrile rubber Glove thickness :0,11 mm

Break through time: >480 minute

The protective gloves to be used must comply with the specifications of directive 89/686/EEC and the related standart EN374.

Other skin protection

Protective chlothing.

Respiratory protection

Required when dusts occur.


Recommended Filter type: P2 type filter.

#### **SECTION 9: Physical and chemical Properties**

# 9.1 Information on basic physical and chemical properties







Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 17.11.2022 Version 2

Physical state Solid Colour Red Odour

Odorless Odour threshold 6,0 - 7,0 pH value No information.

Melting point/freezing point 255 - 270 °C

Freezing point No information. Initial boiling point and boiling range No information. Flash point 191,6 °C

Evaporation rate No information. Flammability (solid, gas) It is not flammable. Upper/lower flammability or explosive limits Not applicable.

Upper/lower flammability or explosive limits Not applicable. No information. Vapour pressure Vapour density No information. Density No information.

Relative density No information. Water solubility (g/l) 131,43 g/l 25 °C Fat solubility (g/l) No information.

Partition coefficient: n-octanol/water log Pow: -1,33 - Bioaccumulation is not expected.

25 °C

Auto-ignition temperature No information. No information. Decomposition temperature

Viscosity

Kinematic viscosity No information. Dynamic viscosity No information.

Explosive properties Not classified as explosive.

Oxidising properties No information.

## **SECTION 10: Stability and Reactivity**

# 10.1 Reactivity

Forms explosive mixtures with air at intense temperatures.

#### 10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3 Possibility of hazardous reactions

Violent reactions possible with strong oxidizing agents.

### 10.4 Conditions to avoid

Powerful heating.

### 10.5 Incompatible materials

No information available.

# 10.6 Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects





Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

**TEKKIM** 

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Acute oral toxicity LD50 Oral - Rat - female - > 2.000 mg/kg (OECD Test Guideline 423)

Acute dermal toxicity LD50 Dermal - Rat - female - > 2.000 mg/kg (OECD Test Guideline 402)

Serious eye damage/eye irritation Eyes - Human Result: Causes serious eye irritation. - 6 h (OECD Directive 492)

Respiratory or skin sensitization Part test: - Human Result: positive (ECHA)

### 11.2 Additional information

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish

LC50 - Oryzias latipes (Orange-red killer fish (used for mosquito control) - 1.200 mg/l - 48 h (ECOTOX Database)

Revision Date: 17.11.2022

Version 2

Toxicity to daphnia and other aquatic invertebrates static test ErC50 - Desmodesmus subspicatus (green algae) - 51.3 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria NOEC - Bacteria - 100 mg/l - 250 min (ECHA)

### 12.2 Persistence and degradability

Biodegradability

Oxygenated (aerobic) - Exposure time 28 d Result: 94.56% - Easily degradable. (OECD Test Guideline 301D)

# 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

# 12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB.

#### 12.6 Other adverse effects

Discharge into environment must be avoided.

# **SECTION 13: Disposal considerations**

## Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.

# **SECTION 14: Transport information**

ADR IMDG IATA ADN RID

14.1 UN number





Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 17.11.2022 Version 2

14.2 UN proper shipping name

It is not classified as dangerous goods.

It is not classified as dangerous

It is not classified as dangerous

It is not classified as dangerous It is not classified as dangerous

14.3 Transport hazard class(es)

-- -- --



14.4 Packing group

-- -- -- -- -- --

14.5 Environmental hazards

NO NO NO NO NO

No information available. No information available. No information available. No information available. No information available.

# 14.6 Special Precautions for User:

No information available.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been conducted for this substance.

#### **SECTION 16: Other informations**

Full text of H statements

H317 Causes an allergic skin reaction.

H319 Causes serious eye irritation.

Person Who Prepared the Safety Data Sheet:

Name:

Certificate Number and Date: Erhan DİLER

Communication information: 11.29.03 & 11 Şubat 2020

05069903686







www.tekkim.com.tr | tekkim@tekkim.com.tr