Safety Data Sheet according to Regulation (EC) No. 1907/2006 (RFACH)



Revision Date: 21.11.2022 Version 2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Catalog No. TK.930106.00000

Product Name Kieselguhr
Cas no 68855-54-9

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial use. Use as a laboratory reagent.

1.2.2. Uses advised against

No information available.

## 1.3. Details of the supplier of the safety data sheet

Name TEKKİM KİMYA SAN. TİC. LTD. STİ.

Street ORGANİZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA

Telephone 0224 243 21 71

E-mail erhan@tekkim.com.tr

Company Representative Erhan DİLER

1.4 Emergency Telephone Number +90 506 990 36 86

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Specific Target Organ Toxicity - Repeated exposure, If inhaled (Category 1), Lungs

For the full text of the H and EUH statements referred to in this section, see section 16.

#### 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms



Signal word (SEA)

**DANGER** 

Hazard Statements (SEA)

H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements (SEA)

Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container to an approved waste disposal facility.

## **SECTION 3: Composition/information on ingredients**

Classification according to Regulation (EC) No. 1272/2008 (CLP)

3.1 Maddeler

EC No 272-489-0

Molar mass -

Cas No 68855-54-9







Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

**Factory:** istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 21.11.2022 Version 2



Concentration (<= 100 %)

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information In case of accident or unwellness, seek medical advice immediately

(show directions for use or safety data sheet if possible).

Following inhalation Remove casualty to fresh air and keep warm and at rest..

Following skin contact Wash with plenty of water. Take off contaminated clothing.

Following eye contact

Rinse immediately carefully and thoroughly with eye-bath or water.

Following ingestion

Give up to two glasses of water. Get medical help immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

## 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

#### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

There is no restriction for this item.

## 5.2 Special hazards arising from the substance or mixture

It is not flammable. All-round fire can release dangerous vapours.

## 5.3 Advice for firefighters

Special protective equipment for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. Keep a safe distance to cut off contact with skin and wear suitable protective clothing.

#### 5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert..

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area. Avoid generation of dust...

### 6.4 Reference to other sections

Disposal: see section 13.

## 6.5 Additional information

Clear spills immediately.

## **SECTION 7: Handling and Storage**

## 7.1 Precautions for safe handling

Advices on safe handling

Pay attention to the precautions on the label. Work with the title. Do not inhale the substance.

Advices on general occupational hygiene







**Tekkim Kimya Sanayi ve Ticaret Limited Şirketi** <u>Factory:</u> O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

+90 224 243 21 /1 (pbx) | 1 dx. +90 224 242 9/ 00

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006

Revision Date: 21.11.2022

Version 2

Change contaminated clothing. Wash hands after working with substance. It is recommended to use a skin protection cream.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in dry and well-ventilated places.

## 7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

## **SECTION 8: Exposure controls / personal protection**

### 8.1 Control parameters

Contains no subtances with occupational exposure limit values.

## 8.2 Exposure controls

# Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.

## Personal protection equipment

Eye/face protection

Safety glasses

Hand protection

Hand protection

Full contact

Glove material: Nitrile rubber Glove thickness:0,11 mm

Break through time: >480 minute

Splash contact

Glove material: Nitrile rubber Glove thickness: 0,11 mm

Break through time: >480 minute

The protective gloves to be used must comply with the specifications of directive 89/686/EEC and the related standart EN374.

Other skin protection

Protective chlothing.

Respiratory protection

Use P95(US) or P1(EU EN 143) type respirator for nuisance exposure.

## **SECTION 9: Physical and chemical Properties**

#### 9.1 Information on basic physical and chemical properties





Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 21.11.2022 Version 2

**TEKKIM** 

Physical state Solid
Colour White
Odour Odorless
Odour threshold No information.
pH value No information.
Melting point/freezing point > 450 °C
Freezing point No information.

Freezing point
Initial boiling point and boiling range
Flash point
Evaporation rate
Flammability (solid, gas)
Upper/lower flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits
Flammability or explosive limits

Upper/lower flammability or explosive limits Not applicable. No information. Vapour pressure Vapour density No information. Density No information. Relative density 2,36 g/cm3 20 °C Water solubility (g/l) 0,0037 g/l 20 °C No information. Fat solubility (q/l)

Partition coefficient: n-octanol/water No information.

Auto-ignition temperature No information.

Decomposition temperature No information.

Viscosity

Kinematic viscosity

No information.

No information.

Explosive properties Not classified as explosive.

Oxidising properties none

## **SECTION 10: Stability and Reactivity**

# 10.1 Reactivity

Section 10.3 to see.

#### 10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3 Possibility of hazardous reactions

No information available.

#### 10.4 Conditions to avoid

No information available.

#### 10.5 Incompatible materials

Strong oxidizing agents, fluorine, oxygen difluoride, chlorine trifluoride.

## 10.6 Hazardous decomposition products

No known hazardous decomposition products.

#### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute oral toxicity

LD50 Oral - Rat - female - > 2.000 mg/kg

(OECD Test Guideline 401)

Acute respiratory toxicity

LC50 Inhalation - Rat - male and female - 4 h - > 2.6 mg/l

(OECD Test Guideline 403)

Specific Target Organ Toxicity - Repeated exposure

If inhaled - Causes damage to organs through prolonged or repeated exposure. - Lungs







Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)





#### 11.2 Additional information

Handle in accordance with good industrial hygiene and safety practice

## **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish

semi-static test LC50 - Oncorhynchus mykiss (Rainbow trout) - > 50 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - > 50 mg/l - 48 h (OECD Test Guideline 202)

Toxicity to algae (algae)

ErC50 - Desmodesmus subspicatus (green algae) - > 50 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria

EC50 - activated sludge - > 1.000 mg/l - 3 h

(OECD Test Guideline 209)

## 12.2 Persistence and degradability

Methods for measuring biological degradation cannot be applied to inorganic substances.

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB.

#### 12.6 Other adverse effects

Discharge into environment must be avoided.

## **SECTION 13: Disposal considerations**

#### Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.

# **SECTION 14: Transport information**

SECTION 14. Transport information				
ADR	IMDG	IATA	ADN	RID
14.1 UN number				
14.2 UN proper shipping name				
It is not classified as dangerous goods.	It is not classified as dangerous goods.	It is not classified as dangerous goods.	It is not classified as dangerous goods.	s It is not classified as dangerous goods.

## 14.3 Transport hazard class(es)







**Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory:** O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

+90 224 243 21 71 (pbx) | 1 dx. +90 224 242 97 0

Factory: istoc 33.ada No: 47-49-51-53



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 21.11.2022 Version 2

14.4 Packing group

-- -- -- -- --

14.5 Environmental hazards

NO NO NO NO NO

No information available. No information available. No information available. No information available. No information available.

## 14.6 Special Precautions for User:

No information available.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been conducted for this substance.

#### **SECTION 16: Other informations**

Full text of H statements

H372 Causes damage to organs through prolonged or repeated exposure.

Person Who Prepared the Safety Data Sheet:

Name:

Certificate Number and Date: Erhan DİLER

Communication information: 11.29.03 & 11 Şubat 2020

05069903686



