Safety Data Sheet according to Regulation (EC) No. 1907/2006 (RFACH)



Revision Date: 24.11.2022 Version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalog No. TK.930131.00000
Product Name Dioxane (stabilized)

Cas no 123-91-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial use. Use as a laboratory reagent.

1.2.2. Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Name TEKKİM KİMYA SAN. TİC. LTD. ŞTİ.

Street ORGANİZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA

Telephone 0224 243 21 71

E-mail erhan@tekkim.com.tr

Company Representative Erhan DİLER

1.4 Emergency Telephone Number +90 506 990 36 86

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Flammable liquids, Category 2 Eye irritation, Category 2 Carcinogenicity, Category 2

Specific Target Organ Toxicity - Single exposure, Category 3, Respiratory system

For the full text of the H and EUH statements referred to in this section, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms







Signal word (SEA)

DANGER

Hazard Statements (SEA)

H225 Highly flammable liquid and vapour.

H319 Causes serious eve irritation.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

Precautionary Statements (SEA)







www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Prevention

P202 Do not handle until all precautionary statements have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. -No smoking.

P233 Keep container tightly closed.

P240 Ground/connect container or receiving equipment.

Intervention

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if fitted and easy to do. Continue rinsing.

Revision Date: 24.11.2022

Version 2

P308+P313 IF exposed and concerned: Get medical advice/attention.

SECTION 3: Composition/information on ingredients

Classification according to Regulation (EC) No. 1272/2008 (CLP)

3.1 Maddeler

 EC No
 204-661-8

 Molar mass
 88.11 g/mol

 Cas No
 123-91-1

 Concentration
 (<= 100 %)</td>

SECTION 4: First aid measures

4.1 Description of first aid measures

General information In case of accident or unwellness, seek medical advice immediately

(show directions for use or safety data sheet if possible).

Following inhalation Remove casualty to fresh air and keep warm and at rest..

Following skin contact Wash with plenty of water. Take off contaminated clothing.

Following eye contact In case of contact with eyes, rinse immediately with plenty of water and

consult an ophthalmologist.

Following ingestion After swallowing: caution if victim vomits. Risk of aspiration! Keep

airways free. Pulmonary failure possible after aspiration of vomit. Call a

physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water. Foam. Dry extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

There is no restriction for this item.

5.2 Special hazards arising from the substance or mixture

Carbon oxides. Flammable. There may be a flashback. Be careful. Heavy-than-air vapors may form on the floor surface. In case of fire, dangerous flammable gases or vapors may develop. Forms explosive mixtures with air at atmospheric temperature.

5.3 Advice for firefighters

Special protective equipment for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. Keep a safe distance to cut off contact with skin and wear suitable protective clothing.


5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

SECTION 6: Accidental release measures








Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr **Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory:** O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

+30 224 243 21 71 (pbx) | Tax. +30 224 242 37 0

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)





6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert..

6.2 Environmental precautions

Do not discharge into sewer. Risk of explosion.

6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area.

6.4 Reference to other sections

Disposal: see section 13.

6.5 Additional information

Clear spills immediately.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Observe label precautions. Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance. It is recommended to use a skin protection cream.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in dry and well-ventilated places. Keep away from heat and anything that can cause ignition.

7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

1,4-Dioxane (123-91-1)

TWA (8 Hours) 20 ppm 73 mg/m3

8.2 Exposure controls

Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.


Personal protection equipment

Eye/face protection

Safety glasses

Hand protection





Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 24.11.2022 Version 2



Hand protection

in full contact

Glove material: Butyl rubber Glove thickness: 0.70 mm Absorption time: > 480 minutes

In contact with splash Glove material: Viton® Glove thickness: 0.7 mm Absorption time: > 120 minutes

The gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resulting standard

EN374.

Other skin protection

Flame reterdant antistatic protective chlothing.

Respiratory protection

Required when vapors/aerosols are generated.

Recommended Filter type: Filter A (according to DIN 3181), for vapors of organic compounds

SECTION 9: Physical and chemical Properties

9.1 Information on basic physical and chemical properties

Physical state Liquid
Colour Colorless
Odour No information.
Odour threshold No information.

pH value 6,0 - 8,0 500 g/l 20 °C

Melting point/freezing point 12 °C

Freezing point No information. Initial boiling point and boiling range 100 - 102 °C

Flash point 11 °C

Evaporation rate No information. Flammability (solid, gas) 190 °C

Upper/lower flammability or explosive limits 2 %(V)
Upper/lower flammability or explosive limits 22 %(V)

Vapour pressure 36 hPa 20 °C
Vapour density 3,03

Density 1,034 g/cm3 20 °C
Relative density 1,03 20 °C
Water solubility (g/l) Soluble

Water solubility (g/l)

Fat solubility (g/l)

Soluble.

No information.

Partition coefficient: n-octanol/water log Pow: -0,42 - Bioaccumulation is not expected.

Auto-ignition temperature No information. Decomposition temperature No information.

Viscosity

Kinematic viscosity 1,27 mm2/s 20 °C Dynamic viscosity 32 mPa,s 20 °C

Explosive properties Not classified as explosive.

Oxidising properties none

SECTION 10: Stability and Reactivity

10.1 Reactivity

The formation of peroxides is possible. Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.







Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66 Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006



Revision Date: 24.11.2022 Version 2

10.3 Possibility of hazardous reactions

There is a risk of explosion with triethylaluminum, lithium aluminum hydride, triethylamine, boranes, silver perchlorate, oxygen.

They can give exothermic reaction with oxidizing agents, sulfur trioxide, acids.

10.4 Conditions to avoid

Moisture, to temperate.

10.5 Incompatible materials

Various plastics, copper compounds.

10.6 Hazardous decomposition products

Peroxides.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity LD50 Oral - Rat - male and female - 5,150 mg/kg (OECD Testing Guide 401)

Acute dermal toxicity LD50 Dermal - Rabbit - 7.378 mg/kg (RTECS)

Serious eye damage/eye irritation Eyes - Rabbit Result: Eye irritation (OECD Testing Guide 405)

Specific Target Organ Toxicity – Single exposure May cause respiratory tract irritation. - The respiratory system

11.2 Additional information

May cause nausea, vomiting, weakness, weakness, dizziness, headache, sweating, loss of appetite, damage to the kidneys.

Handle in accordance with safety and hygiene rules.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to daphnia and other aquatic invertebrates semi-static test EC50 - Daphnia magna (Water flea) - > 1.000 mg/l - 48 h (OECD Testing Guide 202)

Toxicity to algae (algae)

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 1.000 mg/l - 72 h

(OECD Testing Guide 201)

12.2 Persistence and degradability

Biodegradability

oxygenated (aerobic) - Exposure time 29 d

Result: < 10 % - Not easily degraded.

(OECD Test Guide 301F)

12.3 Bioaccumulative potential

Bioaccumulation

Cyprinus carpio (Carp) - 10 mg/l(1,4-Dioxane)

Bioconcentration factor (BCF): 0.3 - 0.7

(OECD Test Guide 305C)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment







ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Sirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 24.11.2022 Version 2



Substance does not meet the criteria for PBT or vPvB.

12.6 Other adverse effects

Forms toxic mixtures in water despite dilution measures. Discharge into the environment should be prevented.

SECTION 13: Disposal considerations

Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.

ADR	IMDG	IATA	ADN	RID
14.1 UN number				
UN 1165	UN 1165	UN 1165	UN 1165	UN 1165
14.2 UN proper shipping name				
DIOXANE	DIOXANE	DIOXANE	DIOXANE	DIOXANE

14.3 Transport hazard class(es)

3 3 3 3







14.4 Packing group

14.5 Environmental hazards

NO NO NO NO NO

No information available. No information available. No information available. No information available. No information available.

14.6 Special Precautions for User:

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been conducted for this substance.

SECTION 16: Other informations

Full text of H statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.







Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 24.11.2022 Version 2



Person Who Prepared the Safety Data Sheet:

Name: Erhan DİLER Certificate Number and Date:

11.29.03 & 11 Şubat 2020 Communication information:

05069903686





Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

<u>Factory:</u> istoc 33.ada No: 47-49-51-53