Safety Data Sheet according to Regulation (EC) No. 1907/2006 (RFACH)



Revision Date: 03.10.2022 Version 2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Catalog No. TK.930133.00000

Product Name Eriochrome black T (C.I. 14645)

Cas no 1787-61-7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses Use as a laboratory reagent.

# 1.2.2. Uses advised against

No information available.

## 1.3. Details of the supplier of the safety data sheet

Name TEKKİM KİMYA SAN. TİC. LTD. STİ.

Street ORGANİZE SAN. BÖL. MAVİ CAD. 8, SOK. NO :1 NİLÜFER / BURSA

Telephone 0224 243 21 71

E-mail erhan@tekkim.com.tr

Company Representative Erhan DİLER

1.4 Emergency Telephone Number +90 506 990 36 86

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Eye irritation, Category 2

Long (chronic) aquatic hazard, Category 2

For the full text of the H and EUH statements referred to in this section, see section 16.

#### 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms





Signal word (SEA)

WARNING

Hazard Statements (SEA)

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements (SEA)

Prevention

P264 Wash skin thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

## Intervention

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if fitted and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

## **SECTION 3: Composition/information on ingredients**

Classification according to Regulation (EC) No. 1272/2008 (CLP)







Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 03.10.2022 Version 2

3.1 Maddeler

EC No 217-250-3 461.38 g/mol Molar mass Cas No 1787-61-7 Concentration (<= 100 %)

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General information In case of accident or unwellness, seek medical advice immediately

(show directions for use or safety data sheet if possible).

Provide fresh air... Following inhalation

Following skin contact Wash with plenty of water. Take off contaminated clothing.

Following eye contact In case of contact with eyes, rinse immediately with plenty of water and

consult an ophthalmologist.

Give up to two glasses of water. Get medical help immediately. Following ingestion

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

## 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water. Foam. Dry extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

There is no restriction for this item.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides. Nitrogen oxides (NOx). Sulfur oxides. Sodium oxide. Flammable. Fire may cause evolution of: Sulfur oxides, nitrogen oxides. In case of fire, dangerous flammable gases or vapors may develop.

### 5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus..

## 5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert..

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area. Avoid generation of dust...

#### 6.4 Reference to other sections

Disposal: see section 13.


### 6.5 Additional information

Clear spills immediately.

## **SECTION 7: Handling and Storage**







Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 03.10.2022 Version 2

### 7.1 Precautions for safe handling

Advices on safe handling

Observe label precautions.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Protect from light. Keep container tightly closed in dry and well-ventilated places.

## 7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

## **SECTION 8: Exposure controls / personal protection**

## 8.1 Control parameters

Contains no subtances with occupational exposure limit values.

#### 8.2 Exposure controls

## Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.

## Personal protection equipment

Eye/face protection

Safety glasses

Hand protection

Hand protection

Full contact

Glove material : Nitrile rubber Glove thickness :0,11 mm

Break through time: >480 minute

Splash contact

Glove material : Nitrile rubber Glove thickness :0,11 mm

Break through time: >480 minute

The protective gloves to be used must comply with the specifications of directive 89/686/EEC and the related standart EN374.

Other skin protection

Protective chlothing.

Respiratory protection

Required when dusts occur.

Recommended Filter type: P2 type filter

## **SECTION 9: Physical and chemical Properties**

## 9.1 Information on basic physical and chemical properties





**Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory:** O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Physical state

Colour

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 03.10.2022

Solid Black

Odour Characteristic
Odour threshold No information.
pH value No information.
Melting point/freezing point No information.
Freezing point No information.

Initial boiling point and boiling range

No information.

Flash point

Evaporation rate

No information.

No information.

No information.

No information.

No information.

No information.

No information.

No information.

Upper/lower flammability or explosive limits
Upper/lower flammability or explosive limits
No information.
Vapour pressure
Vapour density
No information.
Density
No information.
No information.
No information.
No information.
No information.
No information.
No information.
No information.
No information.
No information.
No information.
No information.

Partition coefficient: n-octanol/water log Pow: 1,78
Auto-ignition temperature No information.
Decomposition temperature No information.

Viscosity

Kinematic viscosity

No information.

No information.

Explosive properties Not classified as explosive.

Oxidising properties none

## **SECTION 10: Stability and Reactivity**

## 10.1 Reactivity

Section 10.3 to see.

#### 10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3 Possibility of hazardous reactions

Violent reactions possible with strong oxidizing agents.

### 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

No information available.

## 10.6 Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute oral toxicity LD50 Oral - Rat - 17.590 mg/kg (RTECS)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation

(External product safety sheet)

### 11.2 Additional information

Handle in accordance with good industrial hygiene and safety practice







Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

**TEKKIM** 

Version 2

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 03.10.2022 Version 2

## **SECTION 12: Ecological information**

## 12.1 Toxicity

No information available.

## 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB.

#### 12.6 Other adverse effects

Discharge into environment must be avoided.

#### **SECTION 13: Disposal considerations**

#### Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.

SECTION	N 14: Trans	port inf	formation
---------	-------------	----------	-----------

OLO HON 14: Transport information							
	ADR	IMDG	IATA	ADN	RID		
14.1 UN number							
	UN 3077						
14.2 UN proper shipping name							
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,SOLID, N.O.S.(Contains: Eriochrome black T (C.I. 14645)),	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,SOLID, N.O.S.(Contains: Eriochrome black T (C.I. 14645)),	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,SOLID, N.O.S.(Contains: Eriochrome black T (C.I. 14645)),	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,SOLID, N.O.S.(Contains: Eriochrome black T (C.I. 14645)),	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,SOLID, N.O.S.(Contains: Eriochrome black T (C.I. 14645)),		
14.3 Transport hazard class(es)							
	9	9	9	9	9		





### 14.4 Packing group

#### 14.5 Environmental hazards

YES YES YES YES YES

Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9 Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9 Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9 Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9

Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9

### 14.6 Special Precautions for User:

Packages less than 5 kg/l or equivalent, non-hazardous goods of Class 9

## **SECTION 15: Regulatory information**







Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

**TEKKIM** 

Revision Date: 03.10.2022 Version 2

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been conducted for this substance.

## **SECTION 16: Other informations**

Full text of H statements

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Person Who Prepared the Safety Data Sheet:

Name:

Certificate Number and Date: Erhan DİLER

Communication information: 11.29.03 & 11 Şubat 2020

05069903686



