

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 27.10.2022 Version 2

TEKKİM

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalog No. TK.930150.00000
Product Name Sodium azide
Cas no 26628-22-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use as a laboratory reagent.

1.2.2. Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Name TEKKİM KİMYA SAN. TİC. LTD. ŞTİ.
Street ORGANİZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA
Telephone 0224 243 21 71
E-mail erhan@tekkim.com.tr
Company Representative Erhan DİLER

1.4 Emergency Telephone Number +90 506 990 36 86

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Acute toxicity, Oral, Category 2
Acute toxicity, By inhalation, Category 2
Acute toxicity, Dermal, Category 1
Specific Target Organ Toxicity – Repeated Exposure, Oral, Category 2, Brain
Short term (acute) aquatic hazard, Category 1
Long (chronic) aquatic hazard, Category 1

For the full text of the H and EUH statements referred to in this section, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms



Signal word (SEA)

DANGER

Hazard Statements (SEA)

H300 + H310 + H330 Lethal if swallowed, in contact with skin or if inhaled.
H373 May cause damage to organs through prolonged or repeated exposure. (Brain)
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (SEA)



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY
+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66
Factory: istoc 33.ada No: 47-49-51-53
+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 27.10.2022 Version 2

TEKKİM

Prevention

- P262 Avoid contact with eyes, skin or clothing.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Intervention

- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P304+P340 IF INHALED: Move victim to fresh air and keep in a position comfortable for breathing.
P314 Get medical advice/attention if you feel unwell.

SECTION 3: Composition/information on ingredients

Classification according to Regulation (EC) No. 1272/2008 (CLP)

3.1 Maddeler

EC No	247-852-1
Molar mass	65.01 g/mol
Cas No	26628-22-8
Concentration	(<= 100 %)

SECTION 4: First aid measures

4.1 Description of first aid measures

<i>General information</i>	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
<i>Following inhalation</i>	Remove to fresh air. Call a doctor. If breathing stops: apply mechanical respiration immediately, with oxygen if necessary.
<i>Following skin contact</i>	Wash with plenty of water. Take off contaminated clothing.
<i>Following eye contact</i>	In case of contact with eyes, rinse immediately with plenty of water and consult an ophthalmologist.
<i>Following ingestion</i>	Give up to two glasses of water. Get medical help immediately. Only in exceptional cases; if medical assistance is not available within one hour, induce vomiting (only if the person is awake and fully conscious). After: activated charcoal (20 - 40g in 10% solution). Do not try to neutralize.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Special powder, sand, cement against metal fire.

Unsuitable extinguishing media

Water, foam.

5.2 Special hazards arising from the substance or mixture

Flammable. In case of fire, dangerous flammable gases or vapors may develop.

5.3 Advice for firefighters

Special protective equipment for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. Keep a safe distance to cut off contact with skin and wear suitable protective clothing.

5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 27.10.2022 Version 2

TEKKİM

Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert..

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area. Avoid generation of dust..

6.4 Reference to other sections

Disposal: see section 13.

6.5 Additional information

Clear spills immediately.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Pay attention to the precautions on the label. Work with the title. Do not inhale the substance.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance. It is recommended to use a skin protection cream.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in dry and well-ventilated places. Do not store together with acids. It is heat sensitive.

7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Sodium azide	(26628-22-8)
TWA (8 Hours)	0,1 mg/m ³
STEL (15 Min.)	0,3 mg/m ³

8.2 Exposure controls

Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.

Personal protection equipment

Eye/face protection

Safety glasses

Hand protection



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 27.10.2022 Version 2

TEKKİM

Hand protection

Full contact

Glove material : Nitrile rubber

Glove thickness :0,11 mm

Break through time : >480 minute

Splash contact

Glove material : Nitrile rubber

Glove thickness :0,11 mm

Break through time : >480 minute

The protective gloves to be used must comply with the specifications of directive 89/686/EEC and the related standart EN374.

Other skin protection

Protective chlothing.

Respiratory protection

Required when dusts occur.

Recommended Filter type: P3 type filter

SECTION 9: Physical and chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Colour	White
Odour	Odorless
Odour threshold	Not applicable.
pH value	9,5 - 10,5 65 g/l 25 °C
Melting point/freezing point	370 - 425 °C
Freezing point	No information.
Initial boiling point and boiling range	No information.
Flash point	No information.
Evaporation rate	No information.
Flammability (solid, gas)	310 °C
Upper/lower flammability or explosive limits	No information.
Upper/lower flammability or explosive limits	No information.
Vapour pressure	No information.
Vapour density	No information.
Density	1,85 g/cm3 20 °C
Relative density	No information.
Water solubility (g/l)	Soluble.
Fat solubility (g/l)	No information.
Partition coefficient: n-octanol/water	No information.
Auto-ignition temperature	No information.
Decomposition temperature	370 - 425 °C

Viscosity

Kinematic viscosity	No information.
Dynamic viscosity	No information.
Explosive properties	Not classified as explosive.
Oxidising properties	none

SECTION 10: Stability and Reactivity

10.1 Reactivity

Highly reactive. It emits very toxic gas in contact with acids.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 27.10.2022 Version 2

TEKKİM

10.3 Possibility of hazardous reactions

There is a risk of explosion and/or toxic gas formation with heavy metals, bromine, dimethylsulfate, acid, dichloromethane, carbon disulfide, sulfuric acid, copper, lead.

10.4 Conditions to avoid

Strong heating (decomposition). Do not expose to moisture.

10.5 Incompatible materials

Aluminum, heavy metals.

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Oral - Rat - 27 mg/kg
(RTECS)

Acute respiratory toxicity

LC50 Inhalation - Rat - male and female - 4 h - 0.054 - 0.52 mg/l
(US-EPA)

Acute dermal toxicity

LD50 Dermal - Rabbit - 20 mg/kg
(RTECS)

Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure. - Brain

11.2 Additional information

Handle in accordance with good industrial hygiene and safety practice

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

flow-through test LC50 - Oncorhynchus mykiss (Rainbow trout) - 2.75 mg/l - 96 h
(OECD Testing Guide 203)

Toxicity to algae (algae)

static test ErC50 - Pseudokirchneriella subcapitata - 0.35 mg/l - 96 h
(OECD Testing Guide 201)

12.2 Persistence and degradability

Methods for measuring biological degradation cannot be applied to inorganic substances.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB.

12.6 Other adverse effects

Discharge into environment must be avoided.

SECTION 13: Disposal considerations

Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 27.10.2022 Version 2

TEKKİM

SECTION 14: Transport information

ADR	IMDG	IATA	ADN	RID
14.1 UN number UN 1687	UN 1687	UN 1687	UN 1687	UN 1687
14.2 UN proper shipping name SODIUM AZIDE	SODIUM AZIDE	SODIUM AZIDE	SODIUM AZIDE	SODIUM AZIDE
14.3 Transport hazard class(es) 6.1	6.1	6.1	6.1	6.1
				
14.4 Packing group II	II	II	II	II
14.5 Environmental hazards YES	YES	YES	YES	YES
No information available.	No information available.	No information available.	No information available.	No information available.

14.6 Special Precautions for User:

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been conducted for this substance.

SECTION 16: Other informations

Full text of H statements

H300 + H310 + H330 Lethal if swallowed, in contact with skin or if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure. (Brain)

H410 Very toxic to aquatic life with long lasting effects.

Person Who Prepared the Safety Data Sheet:

Name:

Erhan DİLER

Certificate Number and Date:

11.29.03 & 11 Şubat 2020

Communication information:

05069903686



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY
+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66
Factory: istoc 33.ada No: 47-49-51-53
+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31